BEIL

•

.

. . **. .** . .

FORMULA

1. 2

WARNING-TOXIC —HARMFUL IF SWALLOWED. Do not breathe dust. Irritating to eyes, throat and lungs. May be absorbed by skin. Causes skin irritations. Do not get into eyes, on skin or clothing Wear rubber gloves when handling. In case of contact with skin, was well with soap and water. In case of contact with eyes, flush promptly and thoroughly with clear water. In case of ingestion or contact with eyes, secure immediate medical attention.


DIRECTIONS FOR USE-Betz Algicide WX-P aids in the control of bacteriological slime and algae growths in industrial recircu lating cooling water equipment.

Feed Algicide WX-P intermittently at rates of 0.5-1.5 pounds per thousand gallons water contained in the system. The frequency of feeding and the amount of treatment are dependent on observation of slime and algae conditions and type of system, and may vary from every few hours to several weeks.

FOR INDUSTRIAL USE ONLY. Use only as directed by BETZ.

STORE IN DRY PLACE-KEEP CONTAINER CLOSED

BETZ LABORATORIES, INC. / T



FORMULA

WARNING-TOXIC-HARMFUL IF SWALLOWED. Do not breathe dust. Irritating to eyes, throat and lungs. May be absorbed by skin. Causes skin irritations. Do not get into eyes, on skin or clothing. Wear rubber gloves when handling. In case of contact with skin, wash well with soap and water. In case of contact with eyes, flush promptly and thoroughly with clear water. In case of ingestion or contact with eyes, secure immediate medical attention.

DIRECTIONS FOR USE-Betz Algicide WX-P aids in the control of bacteriological slime and algae growths in industrial recirculating cooling water equipment.


Feed Algicide WX-P intermittently at rates of 0.5-1.5 pounds per thousand gallons water contained in the system. The frequency of feeding and the amount of treatment are dependent on observation of slime and algae conditions and type of system, and may vary from every few hours to several weeks.

FOR INDUSTRIAL USE ONLY. Use only as directed by BETZ.

STORE IN DRY PLACE—KEEP CONVAINER CLOSED



7° ;



JAN 101969 JAN 101969 UNIT TOMO DE DATE MORECTICIDE FOR TOMOR AND AND AND AND AND FOR TOMOR AND AND AND AND AND FOR TOMOR AND
Active Ingredients:
Sodium pentachlorophenate
Sodium salts of other chlorophenols
Copper sulphate pentahydrate 8.3%
Inert Ingredients*
*Inert ingredients include solubilizing and dispersing agents.
USDA Reg. No.
NET WEIGHT
As Marked on Container