

# BETZ

**ACCEPTED**  
JAN 6 1969  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
ED UNDER NO. <sup>3876-12</sup> SUBJECT  
TO ATTACHED COMMENTS.  
**FORMULA**

# TX

**WARNING—TOXIC—**HARMFUL IF SWALLOWED. Do not breathe dust. Causes skin irritations. Do not get in eyes, on clothing. Avoid inhalation. Wear rubber gloves when handling. Wash thoroughly after handling. In case of contact with eyes, flush promptly and thoroughly with clear water. In case of ingestion, seek medical attention immediately. In case of contact with eyes, secure prompt medical attention.

**DIRECTIONS FOR USE** —Betz Algicide TX-P is used for the control of the growth of objectionable forms of microorganisms in industrial recirculating cooling water equipment.

Feed Algicide TX-P intermittently at rates of 0.3-1.0 pounds per 1000 gallons of water contained in system. The frequency of treatment and the amount of treatment are dependent on observation of algae conditions and type of system, and may vary from a few hours to several weeks. Do not discharge contents of towers into any body of water.

FOR INDUSTRIAL USE ONLY. Use only as directed by BETZ.

**STORE IN DRY PLACE—KEEP CONTAINER CLOSED**

# BETZ

LABORATORIES, INC.

**ACCEPTED**  
JAN 6 1969  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. <sup>3876-12</sup> SUBJECT  
TO ATTACHED COMMENTS.  
**FORMULA**

**TX-P**

**BETZ**

**WARNING—TOXIC—HARMFUL IF SWALLOWED.** Do not breathe dust. Causes skin irritations. Do not get in eyes, on skin or on clothing. Avoid inhalation. Wear rubber gloves when handling. Wash thoroughly after handling. In case of contact with eyes, flush promptly and thoroughly with clear water. In case of ingestion or contact with eyes, secure prompt medical attention.

**DIRECTIONS FOR USE**—Betz Algicide TX-P aids in the control of the growth of objectionable forms of microorganisms in industrial recirculating cooling water equipment.

Feed Algicide TX-P intermittently at rates of 0.3-1.0 pounds per thousand gallons of water contained in system. The frequency of feeding and the amount of treatment are dependent on observation of slime and algae conditions and type of system, and may vary from every few hours to several weeks. Do not discharge contents of cooling towers into any body of water.

FOR INDUSTRIAL USE ONLY. Use only as directed by BETZ.

**STORE IN DRY PLACE—KEEP CONTAINER CLOSED**

**Contents: PELLETS**

**Active Ingredients:**

- Sodium pentachlorophenate ..... 24.8%
- Sodium salts of other chlorophenols ..... 4.3%
- 2-mercaptobenzothiazole ..... 2.0%

**Inert Ingredients\* ..... 68.9%**

\*Inert ingredients include solubilizing and dispersing agents.

**USDA Reg. No.**

**NET WEIGHT**

**As Marked on Container**

**BETZ**

LABORATORIES, INC. / TREVOSE, PENNSYLVANIA