

端ORMULA

WARNING-TOXIC-HARMFUL IF SWALLOWED.

Causes skin irritations. Do not get into eyes, on skin or clothing. Wear rubber gloves when handling. In case of contact with skin, wash well with soap and water. In case of contact with eyes, flush promptly and thoroughly with clear water. In case of ingestion or contact with eyes, secure immediate medical attention.


CAUTION—COMBUSTIBLE. Keep away from heat and open flame. Keep container closed when not in use.


DIRECTIONS FOR USE—This product aids in the control of objectionable slime-forming microorganisms in industrial cooling water equipment. This material may be fed either intermittently or continuously at rates of 0.1 to 2.0 pounds per day per thousand gallons of water contained in and/or added to the system. The frequency of feeding and duration of treatment are dependent upon the severity of slime deposits.

FOR INDUSTRIAL USE ONLY. Use only as directed by BETZ.

KEEP CONTAINER COVERED — PROTECT FROM FREEZING







WARNING—TOXIC—HARMFUL IF SWALLOWED.

Causes skin irritations. Do not get into eyes, on skin or clothing. Wear rubber gloves when handling. In case of contact with skin, wash well with soap and water. In case of contact with eyes, flush promptly and thoroughly with clear water. In case of ingestion or contact with eyes, secure immediate medical attention.

CAUTION—COMBUSTIBLE. Keep away from heat and open flame. Keep container closed when not in use.

DIRECTIONS FOR USE—This product aids in the control of objectionable slime-forming microorganisms in industrial cooling water equipment. This material may be fed either intermittently or continuously at rates of 0.1 to 2.0 pounds per day per thousand gallons of water contained in and/or added to the system. The frequency of feeding and duration of treatment are dependent upon the severity of slime deposits.

FOR INDUSTRIAL USE ONLY. Use only as directed by BETZ.

KEEP CONTAINER COVERED — PROTECT FROM FREEZING

Contents: LIQUID

Active Ingredients:

N-Alkyl (C12-40%, C14-50%,	
C ₁₆ -10%) dimethyl benzyl ammonium chloride	15.2%
Dodecyl guanidine hydrochloride	10.0%
Bis (trichloromethyl) sulfone	10.0%
Inert Ingredients*	64.8%

*Inert ingredients include solubilizing and dispersive agents.

USDA Reg. No. 3876-52

NET WEIGHT AND VOLUME

As Marked on Container



