


BETZ



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RECIRCULATING COOLING WATER SYSTEMS

BETZ Slimicide C-36 aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water systems, commercial and industrial cooling towers, influent systems such as flow through, inflico units, filters, lagoons, etc., industrial water scrubbing systems and brewery pasteurizers.

This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

FOR CONTROL OF BACTERIA AND FUNGI INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, add 0.4 to 2.0 pounds to 1000 gallons or 48 to 240 parts per million of water in the system. Repeat until control is achieved.

(Directions for Use continued on right panel.)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN. Causes eye burns and skin irritations. Avoid breathing vapor or mist. Use with adequate ventilation. Do not get into eyes, on skin or clothing. Wear rubber gloves, and goggles or face shield, when handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public water unless in accordance with a NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

NET WEIGHT AND VOLUME

As Marked on Container

Contents: LIQUID

Active Ingredients:	
Bis (trichloromethyl) sulfone	20.0%
N-Alkyl (C ₁₂ -40%, C ₁₁ -50%, C ₁₀ -10%) dimethyl benzyl ammonium chloride	15.2%
Inert Ingredients*	64.8%

*Inert ingredients include solubilizing and dispersing agents

EPA Reg No 3876-128

WEIGHT PER GALLON OF PRODUCT
8.7 Pounds (62F)

KEEP OUT OF REACH OF CHILDREN


DANGER

FIRST AID

In case of ingestion, take patient immediately to a hospital or physician.

In case of contact with eyes, flush eyes immediately with plenty of water for at least 15 minutes and then get medical attention. In case of contact with skin, wash immediately with soap and plenty of water. Immediately contact physician.

Wash thoroughly after handling. Immediately remove contaminated clothing and wash before reuse.



Contents: LIQUID

Ingredients:

chloromethyl) sulfone 20.0%

yl (C₁₂-40%, C₁₁-50%,
10%) dimethyl benzyl
monium chloride 15.2%

redients*: 64.8%

ert ingredients include solubilizing
nd dispersing agents.

EPA Reg. No. 3876-128

WT PER GALLON OF PRODUCT

8.7 Pounds (62F)

OUT OF REACH OF CHILDREN

DANGER

FIRST AID

of ingestion, take patient immedi-
a hospital or physician.

of contact with eyes, flush eyes im-
ly with plenty of water for at least
tes and then get medical attention.

of contact with skin, wash immedi-
with soap and plenty of water. Im-
ly contact physician.

oroughly after handling. Immedi-
move contaminated clothing and
fore reuse.

SUBSEQUENT DOSE: When microbial control is evident, add 0.2 to 1.5 pounds to 1000 gallons or 24 to 180 parts per million of water in the system every 3 days or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add 0.4 to 2.0 pounds to 1000 gallons or 48 to 240 parts per million of water in the system.

SUBSEQUENT DOSE: Continuously feed to maintain a dosage of 0.2 to 1.5 pounds to 1000 gallons or 24 to 180 parts per million of water in the system.

FOR CONTROL OF ALGAE

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, add 0.4 to 2.0 pounds to 1000 gallons or 48 to 240 parts per million of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When algal control is evident add 0.2 to 1.5 pounds to 1000 gallons daily or 24 to 180 parts per million daily or as needed to maintain control.

INITIAL DOSE: When the system is noticeably fouled, add 0.4 to 2.0 pounds to 1000 gallons or 48 to 240 parts per million of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: Continuously feed to maintain a dosage of 0.2 to 1.5 pounds to 1000 gallons or 24 to 180 parts per million of water in the system.

This product and its use as a slime-control composition are covered by United States Patent 3,231,509.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Pesticide or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

Triple rinse the container or equivalent method before sending to drum conditioner or destroying by perforation or crushing and burying in a safe place. Consult Federal, state or local authorities for approved alternative procedures.

FOR INDUSTRIAL USE ONLY

Technical advice regarding specific site problems available from BETZ.

PROTECT FROM FREEZING - DO NOT STORE AT ELEVATED TEMPERATURES