

BETZ

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RECIRCULATING COOLING WATER SYSTEMS

BETZ Slimicide C-59P aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water systems, commercial and industrial cooling towers, influent systems such as flow through, inflico units, filters, lagoons, etc., industrial water scrubbing systems and brewery pasteurizers.

This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

FOR CONTROL OF BACTERIA AND FUNGI INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, add 0.1 to 1.5 pounds to 1000 gallons or 12 to 180 parts per million of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 0.05 to 1.0 pound to 1000 gallons

(Directions for use continued on right panel.)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

HARMFUL OR FATAL IF SWALLOWED. HIGHLY CORROSIVE. DO NOT TAKE INTERNALLY. Causes eye and skin damage. Irritating to nose and throat. Avoid breathing dust. Use with adequate ventilation. Do not get into eyes, on skin or clothing. Wear rubber gloves or face shield when handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public water unless in accordance with a NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this pesticide only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS
CHEMICAL HAZARD: STRONG OXIDIZING AGENT. Mix only with water. Do not mix with other chemicals. Do not use damp or wet utensils. Contact with organic matter may cause violent reaction leading to generation of heat, liberation of irritating and hazardous gases and possible generation of fire and explosion. In case of contamination, do not reseal the container.

Contents: PELLETS

Active Ingredient:

Sodium dichloro-s-triazinetrion
dihydrate

Inert Ingredients:

Minimum available chlorine

EPA Reg. No. 3876-13

NET WEIGHT

As Marked on Container

PRECAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

HARMFUL OR FATAL IF SWALLOWED. HIGHLY CORROSIVE. Causes eye and skin damage. Irritating to nose and throat. Avoid breathing dust. Use with adequate ventilation. Do not get into eyes, on skin or clothing. Wear rubber gloves or face shield when handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public water unless in accordance with a NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this pesticide only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

CHEMICAL HAZARD: STRONG OXIDIZING AGENT. Mix only with water. Do not mix with other chemicals. Do not use damp or wet utensils. Contact with organic matter may cause violent reaction leading to generation of heat, liberation of irritating and hazardous gases and possible generation of fire and explosion. In case of contamination, do not reseal the container.

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

In case of ingestion, feed granular cereal or bread soaked in milk or olive oil. Immediately contact physician.

In case of contact with eyes, flush immediately with plenty of water for 15 minutes and then get medical attention.

In case of contact with skin, wash immediately with soap and plenty of water. Immediately contact physician.

Wash thoroughly after handling. Immediately remove contaminated clothing and wash before reuse.

BEST DOCUMENT AVAILABLE

KEEP CONTAINER TIGHTLY CLOSED—STORE IN A DRY PLACE—DO NOT RESEAL


SLC712 8001

BEST DOCUMENT AVAILABLE

BLE

Algaecide C-59P

ALGAE CONTROL AGENT



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

POISONOUS OR FATAL IF SWALLOWED. HIGHLY IRRITANT AND CORROSIVE. DO NOT TAKE INTERNALLY. Causes eye and skin damage. Irritating to nose and throat. Avoid breathing dust. Use adequate ventilation. Do not get into eyes, on skin or clothing. Wear rubber gloves or face shield when handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waterways unless in accordance with a NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water during cleaning of container and equipment or disposal of wastes. Apply this pesticide only as directed on this label.

PHYSICAL AND CHEMICAL HAZARDS

PHYSICAL HAZARD: STRONG OXIDIZING
 Do not mix with water. Do not mix with other chemicals. Do not use damp or greasy utensils. Contact with organic matter may cause violent reaction leading to generation of heat, liberation of irritating and toxic gases and possible generation of explosion. In case of contamination, immediately seal the container.

Contents: PELLETS

Active Ingredient:

Sodium dichloro-s-triazinetrione dihydrate 99.5%

Inert Ingredients: 0.5%

Minimum available chlorine 55%

EPA Reg. No. 3876-137

NET WEIGHT

As Marked on Container

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

In case of ingestion, feed gruel, cooked cereal or bread soaked in milk followed by olive oil. Immediately contact physician.

In case of contact with eyes, flush eyes immediately with plenty of water for at least 15 minutes and then get medical attention.

In case of contact with skin, wash immediately with soap and plenty of water. Immediately contact physician.

Wash thoroughly after handling. Immediately remove contaminated clothing and wash before reuse.

or 6 to 120 parts per million of water in the system every 3 days or as needed to maintain control.

SUBSEQUENT DOSE: maintain a dosage of 1000 gallons or 6 to 120 parts per million of water in the system

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add 0.1 to 1.5 pounds to 1000 gallons or 12 to 180 parts per million of water in the system.

SUBSEQUENT DOSE: Continuously feed to maintain a dosage of 0.05 to 1.0 pound to 1000 gallons or 6 to 120 parts per million of water in the system.

STORAGE

Do not contaminate storage or disposal containers. Do not reuse containers. Pesticide or rinsate chemically reprocessed in a landfill approved for hazardous waste disposal.

Triple rinse the container before sending to a recycling center or destroying by incineration and burying in a safe area. Federal, state or local regulations may apply. Alternative procedures may be available.

FOR CONTROL OF ALGAE

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled add 0.1 to 1.5 pounds to 1000 gallons or 12 to 180 parts per million of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When algal control is evident add 0.05 to 1.0 pound to 1000 gallons daily or 6 to 120 parts per million daily or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add 0.1 to 1.5 pounds to 1000 gallons or 12 to 180 parts per million of water in the system. Repeat until control is achieved.

FOR INDUSTRIAL USE

Technical advice regarding use is available from the manufacturer.

BEST DOCUMENT AVAILABLE

KEEP CONTAINER TIGHTLY CLOSED—STORE IN A DRY PLACE—DO NOT STORE AT ELEVATED TEMPERATURES

BEST DOCUMENT AVAILABLE

BETZ Laboratories, Inc., TREVOSE, PENNSYLVANIA, 15047

ACCEPTED
3876-137
MAR 19 1999
UNDER THE FEDERAL QUARANTINE
FUNCTION AND INSPECTION ACT
FOR LIQUID PESTICIDES
ID. UNDER 282

Contents: PELLETS
Ingredient:
Dichloro-s-triazinetrione
hydrate 99.5%
Inert 0.5%
Minimum available chlorine 55%
EPA Reg. No. 3876-137
NET WEIGHT
As Marked on Container

KEEP OUT OF REACH OF CHILDREN
DANGER
FIRST AID
In case of ingestion, feed gruel, cooked
or bread soaked in milk followed by
water. Immediately contact physician.
In case of contact with eyes, flush eyes im-
mediately with plenty of water for at least
15 minutes and then get medical attention.
In case of contact with skin, wash immedi-
ately with soap and plenty of water. Im-
mediately contact physician.
Remove contaminated clothing and
wash thoroughly after handling. Immedi-
ately remove contaminated clothing and
wash before reuse.

BEST DOCUMENT AVAILABLE
STORE IN A DRY PLACE - DO NOT STORE AT ELEVATED TEMPERATURES

or 6 to 120 parts per million of water in the system every 3 days or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add 0.1 to 1.5 pounds to 1000 gallons or 12 to 180 parts per million of water in the system.

SUBSEQUENT DOSE: Continuously feed to maintain a dosage of 0.05 to 1.0 pound to 1000 gallons or 6 to 120 parts per million of water in the system.

FOR CONTROL OF ALGAE

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled add 0.1 to 1.5 pounds to 1000 gallons or 12 to 180 parts per million of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When algal control is evident add 0.05 to 1.0 pound to 1000 gallons daily or 6 to 120 parts per million daily or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add 0.1 to 1.5 pounds to 1000 gallons or 12 to 180 parts per million of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: Continuously feed to maintain a dosage of 0.05 to 1.0 pound to 1000 gallons or 6 to 120 parts per million of water in the system.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Pesticide or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

Triple rinse the container or equivalent method before sending to drum conditioner or destroying by perforation, or crushing and burying in a safe place. Consult Federal, state or local authorities for approved alternative procedures.

FOR INDUSTRIAL USE ONLY

Technical advice regarding specific site problems available from BETZ.

BEST DOCUMENT AVAILABLE

INITIAL DOSE
dosage
or 6 to
system

ORANGE
amine
disposal
not reuse
rinse
reprocess
will app
safe p

the co
send
by p
in a s
local a
procedur

INDUST
re rego
from

MEN

PENNSYLVANIA 19047

BETZ

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RECIRCULATING COOLING WATER SYSTEMS

BETZ Slimicide C-58P aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water systems, commercial and industrial cooling towers, influent systems such as flow through, inflico units, filters, lagoons, etc., industrial water scrubbing systems and brewery pasteurizers.

This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

FOR CONTROL OF BACTERIA AND FUNGI INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, add 0.1 to 1.0 pound to 1000 gallons or 12 to 120 parts per million of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 0.1 to 0.5 pound to 1000 gallons or 12 to 60 parts per million of water in the system every 3 days or as needed to maintain control.

(Directions for use continued on right panel.)

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

DANGER

HARMFUL OR FATAL IF SWALLOWED. HIGHLY CORROSIVE. DO NOT TAKE INTERNALLY. Causes eye and skin damage. Irritating to nose and throat. Avoid breathing dust. Use with adequate ventilation. Do not get into eyes, on skin or clothing. Wear rubber gloves or face shield when handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public water unless in accordance with a NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this pesticide only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

CHEMICAL HAZARD: STRONG OXIDIZING AGENT. Mix only with water. Do not mix with other chemicals. Do not use damp or wet utensils. Contact with organic matter may cause violent reaction leading to generation of heat, liberation of irritating and hazardous gases and possible generation of fire and explosion. In case of contamination, do not reuse the container.

BEST DOCUMENT AVAILABLE

Contents: PELLETS

Active Ingredient:
Trichloro-s-triazinetrione
Inert Ingredients:
Minimum available chlorine
EPA Reg. No. 3876-139
NET WEIGHT
As Marked on Container

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

In case of ingestion, feed grain, cereal or bread soaked in milk or olive oil. Immediately contact physician.
In case of contact with eyes, flush immediately with plenty of water for 15 minutes and then get medical attention.
In case of contact with skin, wash immediately with soap and plenty of water. Wash thoroughly after handling. Immediately remove contaminated clothing and wash before reuse.

PRECAUTIONARY STATEMENTS TO HUMANS AND DOMESTIC ANIMALS

DANGER

HARMFUL OR FATAL IF SWALLOWED. DO NOT TAKE INTERNALLY. Causes skin damage. Irritating to nose and throat. Avoid breathing dust. Use with adequate ventilation. Do not get into eyes, on skin or clothing. Wear rubber gloves when handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public water unless in accordance with a NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this pesticide only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

CHEMICAL HAZARD: STRONG OXIDIZING AGENT. Mix only with water. Do not mix with other chemicals. Do not use damp or wet utensils. Contact with organic matter may cause violent reaction leading to generation of heat, liberation of irritating and hazardous gases and possible generation of fire and explosion. In case of contamination, do not reuse the container.

BEST DOCUMENT AVAILABLE

KEEP CONTAINER TIGHTLY CLOSED - STORE IN A DRY PLACE - DO NOT REUSE

KEEP CONTAINER TIGHTLY CLOSED - STORE IN A DRY PLACE - DO NOT REUSE

BEST JUDGMENT AVAILABLE

**WARNING STATEMENTS
TO HUMANS AND
ESTER ANIMALS**

DANGER
FATAL IF SWALLOWED. HIGH-
DO NOT TAKE INTERNALLY.
skin damage. Irritating to
Avoid breathing dust. Use
ventilation. Do not get into
clothing. Wear rubber gloves
when handling.

ENVIRONMENTAL HAZARDS

toxic to fish. Do not dis-
se, streams, ponds or public
in accordance with a NPDES
Permit. Contact your Regional
Office. Do not contaminate water
containers and equipment or
labels. Apply this pesticide only
to this label.

PHYSICAL AND CHEMICAL HAZARDS

HAZARD: STRONG OXIDIZING
Mix only with water. Do not mix
with acids. Do not use damp or
contact with organic matter
which may cause a violent
reaction leading to gen-
eration of irritating and
toxic and possible generation of
gas. In case of contamination,
do not reuse.

Contents: PELLETS

Active Ingredient:
Trichloro-s-triazinethione 59.5%
Inert Ingredients: 0.5%
Minimum available chlorine 89%

EPA Reg. No. 3876-138

NET WEIGHT
As Marked on Container

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

In case of ingestion, feed gruel, cooked
cereal or bread soaked in milk followed by
olive oil. Immediately contact physician.
In case of contact with eyes, flush eyes im-
mediately with plenty of water for at least
15 minutes and then get medical attention.
In case of contact with skin, wash immedi-
ately with soap and plenty of water. Im-
mediately contact physician.
Wash thoroughly after handling. Immedi-
ately remove contaminated clothing and
wash before reuse.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably
fouled, add 0.1 to 1.0 pound to 1000 gallons
or 12 to 120 parts per million of water in the
system.

SUBSEQUENT DOSE: Continuously feed to
maintain a dosage of 0.1 to 0.5 pound to 1000
gallons or 12 to 60 parts per million of water
in the system.

FOR CONTROL OF ALGAE

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably
fouled add 0.1 to 0.5 pound to 1000 gallons
or 12 to 60 parts per million of water in the
system. Repeat until control is achieved.

SUBSEQUENT DOSE: When algal control is evi-
dent add 0.1 to 0.5 pound to 1000 gallons
daily or 12 to 60 parts per million daily or as
needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably
fouled, add 0.1 to 1.0 pound to 1000 gallons
or 12 to 120 parts per million of water in the
system. Repeat until control is achieved.

SUBSEQUENT DOSE: Continuously feed to
maintain a dosage of 0.1 to 0.5 pound to
1000 gallons or 12 to 60 parts per million of
water in the system.

STORAGE AND DISPOSAL

Do not contaminate water, food
storage or disposal. Open dump-
ing prohibited. Do not reuse empty con-
tainers. Pesticide or irritant that cannot
chemically reprocessed should
be buried in a safe place away
from supplies.

Triple rinse the container or
method before sending to drum
or destroying by perforation
and burying in a safe place.
Federal, state or local authorities
alternative procedures.

FOR INDUSTRIAL USE

Technical advice regarding spe-
cial problems available from BETZ.

KEEP CONTAINER TIGHTLY CLOSED - STORE IN A DRY PLACE - DO NOT STORE AT ELEVATED TEMPERATURES

MADE IN THE U.S.A. PHILADELPHIA, PENNSYLVANIA

BEST DOCUMENT AVAILABLE

Contents: PELLETS

Ingredient:
chloro-s-triazotriene 99.5%
Inert ingredients 0.5%
Minimum available chlorine 89%

EPA Reg. No. 3876-138

NET WEIGHT
As Marked on Container

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

In case of ingestion, feed gruel, cooked or bread soaked in milk followed by oil. Immediately contact physician.
In case of contact with eyes, flush eyes immediately with plenty of water for at least 15 minutes and then get medical attention.
In case of contact with skin, wash immediately with soap and plenty of water. Immediately contact physician.
Remove clothing thoroughly after handling. Immediately remove contaminated clothing and before reuse.

STORE IN A DRY PLACE - DO NOT STORE AT ELEVATED TEMPERATURES

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add 0.1 to 1.0 pound to 1000 gallons or 12 to 120 parts per million of water in the system.

SUBSEQUENT DOSE: Continuously feed to maintain a dosage of 0.1 to 0.5 pound to 1000 gallons or 12 to 60 parts per million of water in the system.

FOR CONTROL OF ALGAE

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled add 0.1 to 0.5 pound to 1000 gallons or 12 to 60 parts per million of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When algal control is evident add 0.1 to 0.5 pound to 1000 gallons daily or 12 to 60 parts per million daily or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add 0.1 to 1.0 pound to 1000 gallons or 12 to 120 parts per million of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: Continuously feed to maintain a dosage of 0.1 to 0.5 pound to 1000 gallons or 12 to 60 parts per million of water in the system.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Pesticide or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

Triple rinse the container or equivalent method before sending to drum conditioner or destroying by perforation or crushing and burying in a safe place. Consult Federal, state or local authorities for approved alternative procedures.

FOR INDUSTRIAL USE ONLY

Technical advice regarding specific site problems available from BETZ.

