

ACCEPTED

JAN 23 1971

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
ED UNDER NO. 4077-6

DIRECTIONS

Foots should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using as a space spray in food processing areas apply only when plant is not in operation.

For control of flying insects such as houseflies, tobacco moth and Mediterranean flour moth, apply in the form of a very fine spray using a dosage of 2 to 3 ounces per 1000 cubic feet of space.

Windows, doors and other openings should be closed for 15 to 30 minutes after treatment. Repeat treatments when required.

USDA Reg. No. 4077-6

ORB

# ORB Pyrenone\* Insect Spray

## For Control of Flies, Accessible Stages of Moth and Certain Stored Product Insects and Crawling Insects.

ACTIVE INGREDIENTS 100%  
Contains  
Petroleum Solvent  
Technical piperonyl butoxide\*\*  
Pyrethrins

\*\* consists of (butylcarbityl)  
(6-propylpiperonyl) ether  
and related compounds.

**CAUTION: KEEP OUT OF REACH  
OF CHILDREN. SEE ADDITIONAL  
CAUTIONS ELSEWHERE ON LABEL.**

ORB INDUSTRIES, INC.  
Main & Race Streets, Upland, Pa. 19015

For control of certain crawling insects such as roaches, silverfish, exposed caddis and bran bugs which infest the structure of buildings, apply as a wet spray. Direct the spray toward the insects, well back into the cracks, crevices and structural faults of the building which serve as harbours for these insects.

CAUTION

Harmful if swallowed. Do not spray directly on foodstuffs; remove or cover them before spraying. When treating enclosed areas do not remain in treated area and ventilate area when treatment is completed.

Caution: Flammable. All flames and sources of ignition should be eliminated before spraying.

Net Contents 55 gals.

\* Reg. U.S. Pat. Off. F.M.C.