



PHYSICAL OR CHEMICAL HAZARDS:

Flammable. Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 130 deg. F. may cause bursting.

CAUTION: Avoid direct spraying of food. Protect foods and utensils from contamination by removing or covering during treatment. Use in food processing plants only when plant is not in operation.

Avoid contact with skin. Avoid breathing of vapor. Do not remain in enclosed areas after treatment is completed. Ventilate after treatment is completed. Do not spray directly against surfaces. Remove birds, pets and fish bowls before spraying. Keep out of reach of children.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

DIRECTIONS

FLIES, MOSQUITOES, GNATS, WASPS and FRUIT FLIES: Close doors and windows to confine spray. Direct spray high into air into all parts of room using a dosage of 4 to 5 seconds per thousand cubic feet. The tiny almost invisible particles will finally contact

No. 110



Industrial Insect Spray

ACTIVE INGREDIENTS

Pyrethrins	0.375%
Technical piperonyl butoxide*	1.5 %
Petroleum solvent	8.125%
*Equivalent to 1.2% (butylcarbityl) (6-propylpiperonyl) ether and 0.3% related compounds	
INERT INGREDIENTS	90.0%

Mfg. By:

ORB INDUSTRIES, INC.
#2 Race St., P. O. Box 1067
Upland, PA 19015
215-874-2537

EPA Reg. No. 4077-PA-1

EPA Reg. No. 4077-29

Net Contents 13.12 oz. Avcp.

and kill the insects. Keep room closed for 15 minutes or more after treating. Repeat as required. When treating localized infestations of fruit flies attempt to directly contact the insects with the spray. Sweep up fallen insects.

CEREAL MOTHS: For control of accessible stages close doors and windows to confine spray. Treat all areas of room using a dosage of 7 to 10 seconds per 1000 cubic feet, making sure that spray penetrates to all corners of room as well as in between and behind stored commodities. Keep room closed for 30 minutes. Repeat weekly or more often if required.

ROACHES and SILVERFISH: Open drawers, cabinets and similar places and direct mist into such places as well as into cracks, crevices and other potential harborage in order to activate insects, using a dosage of 20 seconds per 100 square feet of floor space. Spray insects directly when possible. Follow immediately by applying as a space insecticide spraying 4 to 5 seconds per 1000 cubic feet of space. Keep room closed for 30 minutes after treatment. Repeat treatment weekly until infestation is under control and then every two weeks or as needed. This insecticide contains a pyrethrum formulation and is specially designed for use in Food Processing Plants, Bakeries, Restaurants, Hotels, Institutions, Canning Factories, Dairies, Stores, Markets, etc.

APR 16 1974
4077-29

BEST DOCUMENT AVAILABLE