

V

ACCIDENTS

ALBERTA

1917-1918

**PHYSICAL OR CHEMICAL HAZARDS**  
Flammable - contents under pressure  
Do not use near fire, sparks, or flame  
Do not puncture or incinerate container  
Exposure to temperatures above 110°F may cause bursting

**CAUTION** - Avoid direct spraying of food. Protect foods and utensils from contamination by removing or covering during treatment. Use of fruit processing plants only when plant is not in operation. Clean food contact surfaces thoroughly before use if they have been exposed to spray. Do not spray directly against surfaces. Ventilate after treatment is completed. Remove birds, pets, and fish bowls before spraying.

Avoid contact with skin and eyes. Avoid breathing dust or mist. Wash hands, face, and clothing after treatment. Remove clothing if contaminated. Wash clothes.

#### DISPOSAL:

Do not pour contents into drains, water, or sewer. Do not dump into street.

This is a restricted use pesticide. It is for use only by persons who have been trained and certified by the manufacturer. It is not to be used by anyone who has not been trained and certified by the manufacturer. It is not to be used in residential areas. It is not to be used on food crops. It is not to be used on ornamental plants. It is not to be used on lawns. It is not to be used on golf courses. It is not to be used on tennis courts. It is not to be used on swimming pools. It is not to be used on hot tubs. It is not to be used on spas. It is not to be used on saunas. It is not to be used on showers. It is not to be used on bathtubs. It is not to be used on toilets. It is not to be used on sinks. It is not to be used on drains. It is not to be used on floors. It is not to be used on walls. It is not to be used on ceilings. It is not to be used on furniture. It is not to be used on drapes. It is not to be used on curtains. It is not to be used on blinds. It is not to be used on shades. It is not to be used on screens. It is not to be used on screens. It is not to be used on screens. It is not to be used on screens.

# ORB

## Industrial Aerosol Insecticide

#### ACTIVE INGREDIENT

Permethrin 0.5%  
Pyrethrin 0.5%  
Piperonyl Butoxide 1.0%  
Propellant: Nitrogen  
Inert Ingredients 97.5%

ORB INDUSTRIES, INC.  
#2 Race St., P. O. Box 1067  
Upland, PA 19015

**FLIES, MOSQUITOES, GNATS, WASPS and FLEET FLIES** - Close doors and windows to confine aerosol. Direct spray high into air in all parts of the room using a dosage of 1 to 3 seconds per 1000 cubic feet of space. Use the minimum dosage necessary to get results. Under good conditions of confinement and air circulation as little as one second's spraying per 1000 cubic feet may be effective for flies. Keep room closed for 15 minutes or more after spraying. Repeat as required. When treating localized infestations of fruit flies attempt to directly contact the insects with the aerosol spray. Sweep up fallen insects.

**GENERAL NOTES** - For control of all insect stages, seal doors and windows to confine aerosol. Treat all areas of room using a dosage of 1 to 3 seconds per 1000 cubic feet, making sure that aerosol penetrates to all corners of room as well as between curtains and bed. Repeat as required. Repeat every 10-14 days if required.

**WORK AREA** - For control of all insect stages, seal doors and windows to confine aerosol. Treat all areas of room using a dosage of 1 to 3 seconds per 1000 cubic feet, making sure that aerosol penetrates to all corners of room as well as between curtains and bed. Repeat as required. Repeat every 10-14 days if required.

**CAUTION: KEEP OUT OF REACH OF CHILDREN. SEE ADDITIONAL CAUTIONS ON RIGHT HAND PANEL.**