ACCEPTED

SEP 2 2 1986

Under the Federal insecticide, Eurgicide, and Redentiside Act, 18 amended, for the posticide 1911 trees under 4077-60



No. 114

ROACH ROUTER

AUTHORIZED FOR USE IN FEDERALLY INSPICTED MEAT AND POULTRY PLANTS

ACTIVE INGREDIENTS:	
Pyrethrins	0.78
Technical Piperonyl butoxide*	2.0%
Petroleum Salvent	7.3%
*Equivalent to 1.6% (butylcarbityl)	
(6-propy siperonyl) ether and 0.4%	
related compounds.	
INERT INCREDIENTS:	90.08

Net Contents 8 oz. Avdp. 100.08 EPA Reg. No. 4077-60 EPA Est. No. 4077-PA 1

CAUTION: KEEP OUT OF REACH OF CHILDREN. SEE ADDITIONAL CAUTIONS ON RIGHT HAND PANEL

Manufactured By:

ORB INDUSTRIES, INC. #2 Race St., P. O. Box 1067 Upland, PA 19015

PRECAUTIONARY STATEMENT HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

PHYSICAL OR CHEWICAL HAZAROS: Flammable, Contents under pressure. Do not use near fire, sparks, or flame. Do not use pressure to temperatures above 130° may cause bursting.

Exposure to temperatures above 130° may cause bursting.

CAUTION Harmful if swallowed or absorbed through skin, Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. Keep out of reach of children. Ventifate after treatment is completed.

Do not apply directly to food. In commercial food handling fa cilities, cover or remove any food and food processing equip ment during application. Do not apply while food processing is underway. After space spraying in meat packing plants, bakeries and other food processing plants, thoroughly wash all equipment, benches, shelving, etc., where exposed food will be handled, with acceptable detergent selution and then rinse with potable water to remove all traces of contamination. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use.

Remove bets, birds, and cover fish aquariums before spraying.

STORAGE AND DISPOSAL

Storage Store upright in cool dry place. Keep out of reach of children. If container is damaged and leaking allow contents to disapate out of doors.

Disposal Replace cap and discard containers in trash. Do not incinerate or puncture.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its tabeling.

For use in home, institutions, food processing plants, restaurants, kitchens, dairies, closed barns, marchouses, box cars and trucks. Authorized for to in Tederally inspected meat and pountry plants.

ROACHES Open drawers, cabinets and similar places and direct mist into such places as well as into cracks crevices and other potential harbourages in order to activate misects, using a dosage of 30 seconds per 100 square feet of floor space. Spray insects directly when possible. Use convenient ORB 1118X Extension Nozele for crack and crevice treatment, Follow immediately by applying as a space insecticide. Fill the room with spray mist, spraying to 5 seconds per 1000 cubic feet of space. Sweep up faller, sects. Keep room closed for 30 minutes after treatment. Repeat treatment weekly until in festation is under control and then every two weeks or as