


50 LB. NET WEIGHT

20-0



20-0 COTTON DUST is a blended insecticide for the control of many cotton insects including: boll weevil, bollworm, cotton fleahopper, tarnished and rapid plant bug, cotton leafworm, thrips, loopers, garden webworm, fall armyworm, and grasshoppers.

# COTTON DUST

(Contains 20% Toxaphene)

## FOR USE ON COTTON ONLY

**SUGGESTIONS FOR USE**  
The usual rate of application is from 10-15 lb. per acre. However, because local conditions and plant size largely determine the rate, frequency, and effectiveness of applications, it is recommended that Federal or State agricultural authorities be consulted for specific uses.

### ACTIVE INGREDIENTS

\*Toxaphene 20%

### INERT INGREDIENTS

80%

### TOTAL

100%

\*Technical chlorinated camphene (chlorine content 67-69%)

KEEP OUT OF REACH OF CHILDREN

### CAUTION

See Specific Caution Statements on Side Panel

USDA Registration No. 4581-15



CHEMICALS • EQUIPMENT

AGRICULTURAL CHEMICALS DIVISION

**PENNSALT CHEMICALS CORPORATION**

TACOMA, WASH.

AURORA, ILL.

MONTGOMERY, ALA.

BRYAN, TEXAS

### CAUTION

Harmful if swallowed.

Avoid prolonged breathing of dust.

Avoid contact with eyes, skin, and clothing.

Wash thoroughly after using.

Avoid storage near feed and food products.

To protect fish and wildlife, do not contaminate lakes, streams and ponds with dust.

DO NOT GRAZE DAIRY ANIMALS OR ANIMALS BEING FINISHED FOR SLAUGHTER IN FIELDS TREATED LATE IN THE SEASON.

BURN OR BURY CONTAINERS;  
NEVER REUSE. STAY OUT OF  
SMOKE OR FUMES.

### NOTICE

Neither Pennsalt Chemicals Corporation, nor the seller, makes any representation or warranty, express or implied, concerning this material, except that it conforms to the chemical description on the label. Neither shall be held responsible in any manner for any personal injury or property damage or other type of loss resulting from the handling, storage, or use of this material. The buyer accepts and uses this material on these conditions.