FEB 1 5 1991

· '7

4716-599

Ms. Lucinda Taylor Pairfield American Corporation 809 Harrison Street Frenchtown, NJ 08825

Dear Ls. Taylor:

)

Subject: Revised Label Tetrolate 0.25-0.25 Insecticide Spray EPA Registration No. 4816-599 + 29 Your Submission/Dated October 17, 1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Richard F. Mountfort Product Manager (10) Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosure

.

61601: I:A-4: Johnson: L10-1: KEVRIC: 02/12/91: PERM: DD: WO: EK: CL CONCURRENCES								
SYMBOL								
DATE								
EPA For	m 1320-1 (12-7C)	- b	······································	.	↓	<u> </u>	OFFICI	AL FILE COPY

CODE 72630

TETRALATE[®] 0.25-0.25 INSECTICIDE SPRAY

EPA Reg. No. 4816-599

EPA Est. No. 279-NY-1

- * A Ready To Use Product Containing a Combination of Two Highly Active Synthetic Pyrethroid Insecticides.
- * Designed for use in all areas of official establishments operating under the Meat Poultry, Shell Egg Grading and Egg Products Inspection Programs. Areas include: Homes, Schools, Hospitals, Motels, Hotels, Stores, Supermarkets, Theaters, Institutions and Other Public Buildings: also in Warehouses, Trucks, Railcars, Restaurants, Food Processing Plants, Bakeries, Grain Mills, Brewerles, Bottling Plants, Food Handling Plants and Milk Handling Areas Of Milk, Cheese and Ice Cream Plants.


ACTIVE INGREDIENTS

Tetramethrin	
Related compounds	
**Resmethrin	
Related Compounds	
***INERT INGREDIENTS	
	100.000%

*1-cyclohexene-1,2-dicarboximidomethyl2, 2dimethyl-3-2-methylpropenyl)cyclopropanecarboxyate **Cis/trans isomers ratio: max. 30% (+/-) cis and min. 70% (+/-) trans.

U.S. Patent No. 3,456,007 *Contains Petroleum Distillate

TETRALATE - Registered Tradem



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

A combination of localized application and space treatment is recommended for maximum insect control.

Flying Insects: To control House Files, Fruit Files, Mosquitoes, Small Flying Moths, Gnats, Wasps and Hornets, Close all doors and windows and shut off ventilating systems. use a mechanical, thermal or compresses air sprayer adjusted to deliver a fine mist. Direct the spray toward the upper parts of the room and other enclosure and fill it with mist. Use 1 ounce of spray for each 1000 cubic feet of space. Keep the room closed for at least 15 minutes after spraying. Vacate the area after treatment and ventilate it thoroughly before reoccupying.

Crawling Pests: To control Cockroaches, Silverfish, Crickets, Earwigs and Clover Mites. Apply with a machine adjusted to deliver a coarse droplet spray. Spray infested areas thoroughly and direct the liquid behind baseboards, moldings, cabinets, shelves, sinks, door frames, window frames, pipes and into drains, dark corners cracks, crevices, recesses and similar hiding places or contact the insects wherever rossible. Repeat the treatment if reinfestation occurs.

Against Ant infestations: Treat shelves, cabinets and other storage areas. Spray the art runs or trails and baseboards. Spray directly i to cracks, crevices and under carpets where inscus may be found. Treat the underside and topside of infested carpets. Spray inside of trunks, closets and infor- I areas of shelving,

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or dusposal,

RESTICIDE STORAGE AND PROCEDURES: Store Fupright at room temperature. Avoid exposure to extreme demperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, earth, etc. Dispose of with chemical waste,

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed or at or by an approved waste disposal facility.

CONTAINER DISPOSAL: T then offer for recycling or recoil dispose of inea sasitary lasd State and local procedures.

CONTAINERS ONE GALLON reuse container. Wrap cont newspaper and discard in tra-

PRECAUTIONARY HAZARDS TO HUMANS CAUTI

Caution: Avoid breathing of v Avoid contact with eyes. If in water. Get medical attention ful if swallowed; contains pet lowed, do not induce vomiting of aspiration. Get medical birds and cover fish aquarium remain in treated areas ventila is completed.

Do not apply as a space spra underway. Foods should be retreatments. Thoroughly was faces before reuse. In Fede poultry plants, all surfaces in | washed and rinsed in potable

STATEMENT OF PRAC

IF SWALLOWED: Do not directed by a physician. Cor Call physician or poison contr IF INHALED: Remove affect Apply artificial respiration if in IF IN EYES: Flush eyes with physician if irritation persists. IF ON SKIN: Remove contain affected areas with soap and

ENVIRONMENT

This product is extremely to directly to water or wetlands (potholes). Runoff and drift fr hazardous to aquatic organis not contaminate water wher washwaters.

Buyer assumes all risks of us this material not in strict ac given herewith