

Reg # 5073-18

PM-10

192

TOX-O-WIK

INSECTICIDE CONCENTRATE

for Dairy Cattle with Backrubbers and Facerubbers

ACTIVE INGREDIENTS:

Pyrethrins.....	0.30%
Piperonyl butoxide, technical*.....	0.60%
N-octyl bicycloheptene dicarboximide**.....	1.00%
Di-n-propyl isocinchomeronate***.....	2.00%

INERT INGREDIENTS****96.10%

*Consists of 0.48% (butylcarbityl) (6-propylpiperonyl) ether and0.12% related compounds.

**MGK Insecticide Synergists 264, U.S. Patent 2,476,512.

***MGK Repellent 326, U.S. Patent 2,757,210.

****Contains Petroleum Distillates.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panels For Additional Precautionary Statements

MANUFACTURED FOR AND TO THE SPECIFICATIONS OF:
TATGE CHEMICAL COMPANY Box 190 Herington, Kansas 67449

EPA Reg. No. 5073-18

EPA Est. No. 1015-MO-1

NET CONTENT 2 GALLONS

ACCEPTED
2 NOV 1993
Under the Federal Insecticide
Fungicide and Rodenticide Act,
this container is registered for use
in accordance with the registration
number 5073-18

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS

To repel horn flies and face flies with the Tox-O-Wik Applicator and the Tox-O-Wik Face Fly Applicator. Dilute one gallon of this product with four gallons of kerosene before placing it in the applicator reservoir. It will take a few minutes for the canvas parts to become saturated. The applicators should be located where the livestock loaf or congregate so that they may have access to it at all times. Repeated applications will build up repellency in those areas of the animal treated with the insecticide repellent.

NON-WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

STORAGE AND DISPOSAL

Storage. Store container in a cool, dry area. Keep container closed. Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Disposal. Do not reuse empty containers. Triple rinse with water, puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

282

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS
& DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin, or clothing. Avoid breathing vapors.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting due to aspiration pneumonia hazard. Contact a physician or Poison Control Center immediately.

IF IN EYES: Immediately flush eyes with plenty of fresh water. Get medical attention if irritation persists.

IF ON SKIN: Wash contaminated area with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

CAUTION

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE OR STORE NEAR HEAT AND OPEN FLAME.

TOX-O-WIK

INSECTICIDE CONCENTRATE

for Dairy Cattle with Backrubbers and Facerubbers

ACTIVE INGREDIENTS:

Pyrethrins.....	0.30%
Piperonyl butoxide, technical*.....	0.60%
N-octyl bicycloheptene dicarboximide**.....	1.00%
Di-n-propyl isocinchomeronate***.....	2.00%

INERT INGREDIENTS**.....96.10%**

*Consists of 0.48% (butylcarbityl) (6-propylpiperonyl) ether and0.12% related compounds.

**MGK Insecticide Synergists 264, U.S. Patent 2,476,512.

***MGK Repellent 326, U.S. Patent 2,757,210.

****Contains Petroleum Distillates.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panels For Additional Precautionary Statements

**MANUFACTURED FOR AND TO THE SPECIFICATIONS OF:
TATGE CHEMICAL COMPANY Box 190 Herington, Kansas 67449**

EPA Reg. No. 5073-18

EPA Est. No. 1015-MO-1

NET CONTENT 2 GALLONS

A C
Under
Fung
1977