

ACTIVE INGREDIENT:

Trichtoro s triazinetrione (Available Chlorine 87.5%)

INERT INGREDIENTS:

3%

TOTAL INGREDIENTS:

100 00%

When used as directed this product is effective as a pool water disinfecting

The filter system should be backwashed or properly cleaned and the pH adjusted between 7.2 and $7.6\,$ It is recommended that the pool be stabilized with 50-60 ppms trihydroxy triazine to nullify the dissipation effect of sunlight on chlorine. When using this product, both chlorine and trihydroxy triazine are being added to the water, however, it is necessary to mitially stabilize pools with 50-60 ppms of trihydroxy triazine to effectively maintain the desired concentration of stabilizer.

DIRECTIONS

Use 3 ounces of Foot Chlorine Concentrate per 10,000 gallons of water as an initial treatment. Repeat daily until a residual of 10 to 30 ppms of available chlorine is established. The regular use of a test kit will determine the amount of chlorine necessary for maintaining 10 to 30 ppms. An average is 2-3 ounces of this chlorine concentrate per 10,000 gallons of water daily. The final demand for chlorine is to be established through use of a test kit and daily treatment adjusted accordingly.

If a need for superchlorination is indicated, use 12 ounces of this concentrate per 10,000 gallons of water.

NET WEIGHT

USDA REG NO 5185 61



POISON POISON POISON



· >

ANTIDOTE: Call a physician

EXTERNAL For skin and eyes immediately flood with large amounts of water.

INTERNAL Take large amounts of milk followed by olive oil or cooking oil

KEEP OUT OF THE REACH OF CHILDREN

WARNING! OXIDIZING MATERIAL CONTACT WITH HEAT MOISTURE OR FOREIGN MATERIALS MAY RESULT IN FIRE WILL BURN WITH THE EVOLUTION OF IRRITATING AND HAZARDOUS GASES

Storo in a cor' dry place. Keep away from heat or open flame. Avoid contact with skin and eyes. Avoid breathing dust. DO NOT TAKE INTERNALLY!