

# *kleerpool*



SWIMMING POOL WATER  
TREATMENT PROGRAM

*Super Soluble*  
**ORGANIC**

## **CHLORINE CONCENTRATE**

**ACTIVE INGREDIENTS:**

Sodium dichloro-s-  
triazinetrione ..... 100.00%  
(Available chlorine 62%)

**BIO-LAB, INC. / DECATUR, GA.**

E.P.A. REG. NO. 5185-133

**DANGER: KEEP OUT OF REACH OF CHILDREN**

(See first aid statement & other precautions on back panel)

ACCEPTED

5185-133

DEC 10 1975

UND...  
FUNG...  
FOR...  
ED 1...

When used as directed, this product is effective as a pool water disinfecting agent.

The filter system should be backwashed or properly cleaned and the pH adjusted between 7.4 and 7.6.

It is recommended that the pool be stabilized with 40-50 ppm trihydroxy triazine to nullify the dissipation effect of sunlight on chlorine. When using this product, both chlorine and trihydroxy triazine are being added to the water; however, it is necessary to initially stabilize pools with 40-50 ppm of trihydroxy triazine to effectively maintain the desired concentration of stabilizer.

### **DIRECTIONS**

Use 4 ounces of this product per 10,000 gallons of water as an initial treatment. Repeat until a residual of 1.0 to 2.0 ppm of available chlorine is established as determined by test kit. A test kit must be used regularly to determine when it is necessary to add another dose of this product to maintain the residual of 1.0 to 2.0 ppm of available chlorine in the pool water. An average daily dose requirement is 2 to 3 ounces of this product per 10,000 gallons of water.

The use of a quaternary ammonium type algicide will complement this total program of swimming pool maintenance.

If a need for superchlorination is indicated, use 1 pound of this product per 10,000 gallons of water. Swimmers should not enter the pool until the available chlorine residual falls to 2.0 ppm.

### **DANGER**

#### **KEEP OUT OF REACH OF CHILDREN**

Causes eye damage. Do not get in eyes. Avoid contact with skin. May produce chemical burns. Avoid breathing dust. **DO NOT TAKE INTERNALLY!** May be fatal if swallowed!

**FIRST AID:** Call a physician.

**EXTERNAL:** For skin and eyes, immediately flood with large amounts of water

**INTERNAL:** Take large amounts of milk, followed by olive oil or cooking oil.

**DANGER:** Corrosive. Oxidizing material. Contact with heat, moisture or foreign materials may result in fire. Will burn with the evolution of irritating and hazardous gases. Store in a cool dry place. Keep away from heat or open flame.

Rinse empty container thoroughly with water and discard it.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

**NET CONTENTS: 20 LBS.**

**SS**

**E.P.A. Est. No. 5185-GA.-2**

When used as directed, this product is effective as a pool water disinfecting agent.

The filter system should be backwashed or properly cleaned and the pH adjusted between 7.4 and 7.6.

It is recommended that the pool be stabilized with 40-50 ppm trihydroxy triazine to nullify the dissipation effect of sunlight on chlorine. When using this product, both chlorine and trihydroxy triazine are being added to the water; however, it is necessary to initially stabilize pools with 40-50 ppm of trihydroxy triazine to effectively maintain the desired concentration of stabilizer.

### DIRECTIONS

Use 4 ounces of this product per 10,000 gallons of water as an initial treatment. Repeat until a residual of 1.0 to 2.0 ppm of available chlorine is established as determined by test kit. A test kit must be used regularly to determine when it is necessary to add another dose of this product to maintain the residual of 1.0 to 2.0 ppm of available chlorine in the pool water. An average daily dose requirement is 2 to 3 ounces of this product per 10,000 gallons of water.

The use of a quaternary ammonium type algicide will complement this total program of swimming pool maintenance.

If a need for superchlorination is indicated, use 1 pound of this product per 10,000 gallons of water. Swimmers should not enter the pool until the available chlorine residual falls to 2.0 ppm.

### DANGER

KEEP OUT OF REACH OF CHILDREN

Caution: This product contains a strong oxidizing agent. Avoid contact with skin, eyes, and clothing. If contact occurs, flush with water. Do not breathe dust. Store in a cool, dry place. Do not use in confined spaces.

See back of container for first aid instructions.

For information on this product, contact your local health department.


For information on this product, contact your local health department.

See back of container for first aid instructions.

NET CONTENTS: 20 LBS.

E.P.A. Est. No. 5185-GA-2

SS

**kleerpool**  
  
 SWIMMING POOL WATER  
 TREATMENT PROGRAM

*Super Soluble*  
**ORGANIC**  
**CHLORINE CONCENTRATE**

**ACTIVE INGREDIENTS:**  
 Sodium dichloro-s-  
 triazinetrione ..... 100.00%  
 (Available chlorine 62%)

**BIO-LAB, INC. / DECATUR, GA.**  
 E.P.A. REG. NO. 5185-133

**DANGER: KEEP OUT OF REACH OF CHILDREN**  
 (See first aid statement & other precautions on back panel)

**ACCEPTED**  
 5185-133  
 DEC 10 1975

FEDERAL REGISTER  
 FOR THE UNITED STATES OF AMERICA  
 U.S. DEPARTMENT OF HEALTH, EDUCATION AND WELFARE

When used as directed, this product is effective as a pool water disinfecting agent. The filter system should be backwashed or properly cleaned and the pH adjusted between 7.4 and 7.6.

It is recommended that the pool be stabilized with 40-50 ppm trihydroxy triazine to nullify the dissipation effect of sunlight on chlorine. When using this product, both chlorine and trihydroxy triazine are being added to the water; however, if it is necessary to initially stabilize pools with 40-50 ppm of trihydroxy triazine to effectively maintain the desired concentration of stabilizer.

**DIRECTIONS**

Use 4 ounces of this product per 10,000 gallons of water as an initial treatment. Repeat until a residual of 1.0 to 2.0 ppm of available chlorine is established as determined by test kit. A test kit must be used regularly to determine when it is necessary to add another dose of this product to maintain the residual of 1.0 to 2.0 ppm of available chlorine in the pool water. An average daily dose requirement is 2 to 3 ounces of this product per 10,000 gallons of water.

The use of a quaternary ammonium type algicide will complement this total program of swimming pool maintenance.

If a need for superchlorination is indicated, use 1 pound of this product per 10,000 gallons of water. Swimmers should not enter the pool until the available chlorine residual falls to 2.0 ppm.

**DANGER**  
**KEEP OUT OF REACH OF CHILDREN**

Causes eye damage. Do not get in eyes. Avoid contact with skin. May produce chemical burns. Avoid breathing dust. **DO NOT TAKE INTERNALLY!** May be fatal if swallowed!

**FIRST AID:** Call a physician

**EXTERNAL:** For skin and eyes, immediately flood with large amounts of water

**INTERNAL:** Take large amounts of milk, followed by olive oil or cooking oil

**DANGER:** Corrosive. Oxidizing material. Contact with heat, moisture or foreign materials may result in fire. Will burn with the evolution of irritating and hazardous gases. Store in a cool dry place. Keep away from heat or open flame.

Rinse empty container thoroughly with water and discard it.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

**NET CONTENTS: 20 LBS.**

E.P.A. Est. No. 5185-GA-2

SS