

**USE DIRECTIONS**

FOR RESTROOMS AND GENERAL DISINFECTANT of Walls, Floors, Glass, Metal, Plastic, Porcelain, Synthetics and Finished Wood Surfaces and Furnishings, in institutions and industrial areas. Wherever practical, rinse away surface soils with water. For cleaning, use 2 ounces of THIS DISINFECTANT per gallon of water and thoroughly wet the surface to be cleaned. Cleaning may be accomplished with a clean mop, sponge, squeegee, wet vacuum system, or pressure sprayer. For disinfecting surfaces difficult to clean or contagious disease areas, use 4 ounces per gallon of water, thoroughly wetting all surfaces. Any food contact surfaces treated with THIS DISINFECTANT must be thoroughly rinsed with potable water before reuse.

FOR DISINFECTING AND DEODORIZING OF GARBAGE CANS, GARBAGE TRUCKS, INDUSTRIAL WASTE RECEPTACLES AND OTHER GARBAGE HANDLING EQUIPMENT. It is especially important to preclean, preferably using a pressure sprayer, in order for the disinfectant to perform properly. Then apply a wetting solution of 4 ounces of THIS DISINFECTANT per gallon of water.

FOR HAND CLEANING OR PRESSURE CLEANING OF WALLS, FLOORS AND INDUSTRIAL WORK AREAS. Use 2 ounces per gallon of water. The use of rubber gloves is recommended for personnel doing continuous hand cleaning.

THIS DISINFECTANT may be used through automatic floor scrubbing equipment.

# Bio-Guard

## OBQ-200 *Orange Bouquet*

DISINFECTANT – DEODORANT – MILDEWICIDE

Phenol Coefficient 32 – Staphylococcus aureus ATCC 6538

Phenol Coefficient 26.6 – Salmonella typhosa ATCC 6539

DISINFECTANT – CLEANER – MILDEWICIDE\* DEODORIZER

BACTERICIDE – VIRUCIDE\*\* – PATHOGENIC FUNGICIDE

REDUCES SURFACE TENSION – RESIDUAL BACTERIOSTAT

\* Kills mildew fungi on contact

\*\* This Disinfectant is an effective virucide for influenza virus type A2, Hong Kong influenza and other animal viruses

ACTIVE INGREDIENTS:

Alkyl (C14, 90% C12) 2-(4,16, 18) dimethyl-2,4-dimethyl-2-butylammonium chloride	1.00
Alkyl (C14, 58% C16, 2% C12, 14) 2-(4,16, 18) dimethyl-2-butylammonium chloride	1.00
Alkyl (C14, 90% C12, 5% C16, 5% dimethyl-2-butylammonium bromide	1.00
Sodium carbonate	1.00
Sodium metasilicate	1.00
Essential oils	0.10
Ethylenediaminetetraacetic acid, tetrasodium salt	0.38
<b>Total active ingredients</b>	<b>7.38</b>

INERT INGREDIENTS \*\*\* 12.62

\*\*\* Contains sodium nitrite

**DANGER**

**KEEP OUT OF REACH OF CHILDREN**

(See side panel for First Aid and other precautions)

Manufactured by **BIO-LAB, INC.** Decatur, Georgia 30031

EPA Reg. No. 5185-252

Net Contents \_\_\_\_\_

5185-252

# Bio-Guard

## OBQ-200 *Orange Bouquet*

DISINFECTANT - DEODORANT - MILDEWCIDE

Phenol Coefficient 32 - Staphylococcus aureus ATCC 6538

Phenol Coefficient 26.6 - Salmonella typhosa ATCC 6539

DISINFECTANT - CLEANER - MILDEWCIDE\* - DEODORIZER

BACTERICIDE - VIRUCIDE\*\* - PATHOGENIC FUNGICIDE

REDUCES SURFACE TENSION - RESIDUAL BACTERIOSTAT

### ACTUAL RESULTS

## DANGER

KEEP OUT OF REACH OF CHILDREN

(See inside panel for first aid and other precautions)

Manufactured by **BIO-LAB, INC.** Dept. 100-1000, Box 20033

## GENERAL INFORMATION

THIS DISINFECTANT reduces the surface tension of water, improving its wettability. Microbes are capable of mass reproduction in sub-visible pores, scratches and cracks of surface. The exceptional wettability of THIS DISINFECTANT improves the penetration of the use dilution into areas that might not otherwise be reached. After the initial demand for disinfectant has been satisfied, any remaining DISINFECTANT will establish a residual bacteriostatic effect.

Using A.O.A.C. test methods, this Disinfectant is effective following organisms at recommended use dilutions:

### PATHOGENIC BACTERIA

Escherichia coli  
Pseudomonas aeruginosa  
Salmonella choleraesuis  
Salmonella typhosa  
Staphylococcus aureus  
Streptococcus pyogenes

### FUNGI

Aspergillus niger  
Candida albicans  
Trichophyton interdigitale

## DANGER

Keep Out of Reach of Children. Do not get in eyes, nose and skin irritation. Do not get in eyes, nose or on clothing. Protect eyes and skin when handling. Handle with care to avoid contamination of food.

## FIRST AID

In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. For eye contact, flush eye. Remove and discard contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or starch solution. Do not induce vomiting. Drink large quantities of water to dilute poison and maintain hydration.

Rinse mouth, container, and equipment with water.