

BIO-GUARD DCM ALGICIDE is a product formulated to provide control of the growth of algae in recirculating water cooling systems and evaporative condensers.

DIRECTIONS

INITIAL TREATMENTS: To a visually clean system or when algae or slime is first visible, to sump water near pump suction, add four to eight fluid ounces of BIO-GUARD DCM ALGICIDE for each 100 gallons of water in the system. Repeat initial dose at day intervals until algae slime control is evident. Badly fouled systems must be cleaned before treatment is begun.

SUBSEQUENT TREATMENTS: The frequency at which additional dosages must be added to control algal growth can only be determined by experience, since each system will vary in water composition and in amounts and types of algae present.


A treatment of DCM ALGICIDE once every month or when algae first appears is sufficient to control growth of green algae in cooling towers. Two to four fluid ounces per 100 gallons of water are recommended for subsequent dosages. Apply this dose once weekly, or as required.

CAUTION

Do not allow water that contains this algicide to come in contact with grass or plants. Do not use in drinking water or in swimming pools.

Bio-Guard DCM ALGICIDE

*Controls algae slime growth on
recirculating water cooling towers
and evaporative condensers*



ACTIVE INGREDIENTS:	
Alkyl (C ₁₄ , 90%; C ₁₂ , 5%; C ₁₆ , 5%) dimethyl dichlorobenzyl ammonium chloride.....	19.23%
INERT INGREDIENTS:	80.77%
Total Ingredients	100.00%

DANGER

KEEP OUT OF REACH OF CHILDREN

(See additional precautions and First Aid Statement on back panel.)

NOT FOR USE OR STORAGE AROUND THE
HOME ENVIRONMENT.

Bio-Lab, Inc.

Decatur, Georgia

EPA Reg. No. 5185-279

EPA Est. No. 5185-GA-1

Net Contents: 1 Gallon

DANG

KEEP OUT OF REACH OF CHILDREN. Causes severe eye and skin damage. Irritates or on clothing. Wear goggles and gloves when handling. Harmful contamination of food.

FIRST

In case of contact, immediately flush with plenty of water for at least 15 minutes. Consult a physician. Remove and wash clothing before reuse.

If swallowed, drink promptly a glass of water, milk, or white, gelatin solution or if the patient is unconscious, give large quantities of water. Advise physician immediately.

NOTE TO PH


Probable mucosal damage may require gastric lavage. Measures against absorption as oxygen and measures to support respiration mechanically may be needed. If the patient is unconscious, be controlled by cautious intravenous acting barbiturate drug.

This product is toxic to fish. Do not be discharged where it will drain into or public water. Apply this product in accordance with this label.

Do not reuse container. Destroy

Bio-Guard DCM ALGICIDE

*Controls algae slime growth on
recirculating water cooling towers
and evaporative condensers*



ACTIVE INGREDIENTS:	
Alkyl (C ₁₄ , 90%; C ₁₂ , 5%; C ₁₆ , 5%) dimethyl dichlorobenzyl ammonium chloride	19.23%
INERT INGREDIENTS:	80.77%
Total Ingredients	100.00%

DANGER

KEEP OUT OF REACH OF CHILDREN

(See additional precautions and First Aid Statement on back panel.)

**NOT FOR USE OR STORAGE AROUND THE
HOME ENVIRONMENT.**

Bio-Lab, Inc.

Decatur, Georgia

EPA Reg. No. 5185-279
EPA Est. No. 5185-GA-1

Net Contents: 1 Gallon

DANGER

KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink *promptly* a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by cautious intravenous injection of a short-acting barbituate drug.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Apply this product only as specified on this label.

Do not reuse container. Destroy when empty.