

PM 32 5185-459

1045

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO. 5185-459	DATE OF ISSUANCE NOV 13, 1996
	TERM OF ISSUANCE Conditional	
	NAME OF PESTICIDE PRODUCT Proteam High-Tech Tabs	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

BioLab, Inc.
 P. O. Box 1489
 Decatur, GA 30031

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the following label changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 5185-459"
 - b. You must "clarify which ingredient in the formula is the ATC-3 Erosion control agent".
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
---------------------------------	------

20/5

-2-

A stamped copy of the label is enclosed for your records.
If you have any questions concerning this letter, please contact
LaVerne Dobbins at (703) 305-7064.

Sincerely,



Vivian A. Turner
Acting Product Manager (32)
Antimicrobial Program Branch
Registration Division (7505C)

3045

PROTEAM HIGH-TECH TABS
 ALGICIDE--SANITIZER--BACTERICIDE--FUNGICIDE
 EXCLUSIVELY DESIGNED FOR USE WITH THE PROTEAM HIGH-TECH SYSTEM
 SPECIFICALLY FORMULATED FOR USE IN AUTOMATIC AND FLOATING TYPE FEEDERS
 CONTAINS ATC-3 EROSION CONTROL AGENT
 INCREASED SANITIZER EFFICIENCY
 ENHANCED SWIMMER COMFORT
 PATENTED TECHNOLOGY *

ACTIVE INGREDIENT:	
TRICHLORO-S-TRIAZINETRIONE	91.5
SODIUM TETRABORATE PENTAHYDRATE	5.0
INERT INGREDIENTS:	3.5
TOTAL	100.0


KEEP OUT OF REACH OF CHILDREN
 DANGER

STATEMENTS OF PRACTICAL TREATMENT: IF CONTACT WITH EYES OCCURS: Immediately flush with cold water for at least 15 minutes. Then get immediate medical attention. IF CONTACT WITH SKIN: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. IF INHALED: Remove to fresh air. If breathing is difficult, have trained person administer oxygen. If not breathing, give artificial respiration. Call a physician immediately. IF SWALLOWED: Drink large amounts of water. DO NOT induce vomiting. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. IN CASE OF MEDICAL EMERGENCY, CALL 1-303-623-5716.

See back panel for additional precautionary statements.

MANUFACTURED BY: BIOLAB, INC. DECATUR, GA
 EPA REG. NO. 5185- *ULB*
 EPA EST. NO. 5185-GA-1

NET WEIGHT



This product is specifically formulated for use in automatic type feeders. It provides highly effective pool water sanitization and algae control when used in this manner. This combination of ingredients enhances the water quality to reduce potential eye and skin irritation. This product is formulated to dissolve more cleanly and uniformly in automatic feeders thereby reducing plugging, fouling, maintenance requirements and adjustments.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.


Prior to using this product, the filter system should be properly cleaned and backwashed and the pool water pH adjusted to 7.2-7.6. It is recommended that the pool be superchlorinated to establish a chlorine residual of 2 ppm of free chlorine.

INITIAL APPLICATION: This product is specially designed for use in floaters and automatic type feeders **except for bromine only type feeders (See Caution below)**. Prior to adding this product to the feeder, refer to the operating instructions provided by the manufacturer of the unit. Add to the feeder an initial supply of tablets (11 tablets per every 10,000 gallons of pool water). Close the feeder, making sure the lid is securely tightened. Adjust the feeder to the lowest setting according to the manufacturer's instructions. Approximately 3 to 4 days after adding the initial supply of tablets to the feeder, turn off the pump, open the feeder and observe the quantity of tablets remaining. If more than 1/2 of the tablets are gone contact your PROTEAM dealer for recommendations on how to reduce your feed rate. If at least 1/2 of the tablets remain in the feeder, turn pump back on and check the residual of sanitizer in the pool water using a HIGH-TECH test kit. Adjust the feeder to provide a sanitizer level within the ideal range of 1.0-1.5 ppm in the pool water.

ROUTINE MAINTENANCE: Test pool water regularly (at least weekly) and check feeder weekly, refilling as needed. Add additional product and adjust the feeder as needed to maintain an ideal sanitizer level of 1.0-1.5 ppm in the pool water. Regular use of a HIGH-TECH test kit is recommended to make certain adequate levels of sanitizer and proper pH are being maintained in the pool water.

CAUTION: Do not use this product in automatic brominators or skimmers. Use of this product through a bromine type feeder could cause an adverse chemical reaction or explosion resulting in serious bodily injury, death or property damage.

Reentry into treated swimming pools is prohibited above levels of 3 ppm chlorine.



STORAGE AND DISPOSAL Keep this product dry in original tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. Moisture may decompose this product and cause a violent reaction leading to fire and explosion. In case of decomposition, isolate container if possible and flood area with large amounts of water to dissolve all material before discarding this container. Do not contaminate food or feed by storage or disposal. **CONTAINER DISPOSAL:** Do not reuse container, but place in trash collection. Rinse thoroughly before discarding in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or safety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse. For skin or eye contact, or if dust/fumes are inhaled, immediately follow statements of practical treatment on front label panel.

PHYSICAL OR CHEMICAL HAZARDS STRONG OXIDIZING AGENT: Do not mix with other chemicals. Mix only with water. Never add water to product. Always add product to large quantities of water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, hazardous gas, possible fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood area with large volumes of water.

ENVIRONMENTAL HAZARDS This pesticide is toxic to fish and aquatic organisms.

NOTE: Buyer assumes all responsibility for safety and use not in accordance with direction.

* The PROTEAM HIGH-TECH SYSTEM is a patented method, U.S. Patent No. 4,594,091 and U.S. Patent No. 5,131,938 for treatment of swimming pools. Additional patents pending.

