LEFT PANEL

KEM MANUFACTURING

NEW FORMULA

KEM "77"

SPECTACULAR CLEANER

POWERFUL DISINFECTANT
ODOR COUNTERACTANT
BACTERIOCIDAL, PSEUDOMONACIDAL
TUBERCULOCIDAL, FUNGICIDAL

Gives hospital standard cleanliness to all surfaces in your building

ACTIVE INGREDIENTS:

Ortho-benzyl-para-chlorophenol	.2.62*
Ortho-phenylphenol	2.00%
Para-tertiary-amylphenol	
Inert Ingredients	4.38
10	0.00

EPA REG. NO. 5197-45 DANGER KEEP OUT OF REACH OF CHILDREN

See First Aid and other Precautions on side panel.

NET CONTENTS:

KEM MANUFACTURING A Division of Systems General, Inc. P.O. Box 152170 Irving, TX 75015-2170

CENTER PANEL

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Wistred. Registrent cirkum in impecordance with a conordance with

÷

FLOORS: VINYL, ASPHALT TILE, COMPOSITION, RUBBER, LINOLSUM, WOOD CORK: To renovate, use 1/2 to 1 pint per gallon of water. Soak 5 to 'O minutes. Scrub, ringe well. For regular maintenance, use 3 ounces per gallon of water. Mop floor and ringe thoroughly. To remove old wax, use 1-1/2 to 2 pints per gallon of hot water. Soak until wax film is soft (test with fingernail). Scrub with brush or pad, keeping surface wet. Pick up solution. Mop surface with clean water. Ringe thoroughly.

TERRAZZO, MARBLE, CERAMIC TILE: To renovate, use 1 to 1-1/2 pints per gallon of water. Soak 5 to 10 minutes. Scrub, rinse well. For regular maintenance, use 3 ounces per gallon of water. Mop over surface to be cleaned, followed by thorough rinsing.

WALLS, WOODWORK, FURNISHINGS AND EQUIPMENT: Clean with 3 ounces per gallon of water. Apply with sponge and wipe off.

MISCELLANEOUS USES SUCH AS; GARBAGE PAILS, SICKROOM EQUIPMENT, TOILET SEATS, TELEPHONES: Wash thoroughly using 3 ounces per gallon of water. Remove gross filth from garbage pails before scrubbing.

RIGHT PANEL

DANGER KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Causes eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Protect eyes and skin when handling. Use rubber gloves for manual cleaning operations. Avoid contamination of food.

Do not reuse empty drum. Return to drum reconditioner or rins: thoroughly and discard in safe place.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, get medical attention.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

FOR INDUSTRIAL USE ONLY

CA-1 EPA Est. No. 4140
CA-1 IN-1 NJ-1 PR-1 TX-1

TO REORDER

Call TOLL-FREE: 1-800-527-9921

In Texas: 1-800-442-7950

...

--