

5383-68

03-31-2010

1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

MAR 31 2010

Peko Rasic
Product Registration Specialist for,
Troy Chemical Corporation c/o
Troy Corporation
8 Vreeland Road
Florham Park, NJ 07932

Subject: Troysan® 174P
EPA Registration Number 5383-68
Your Notification Dated January 20th, 2010
EPA Received Date March 8th, 2010

The notification referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, FIFRA, as amended, to update and revise product labeling as per PR Notice 2007-4, is acceptable.

This notification has been made part of the permanent record of this file.

If you have any questions concerning this letter, please contact Karen M. Leavy-Munk at (703)-308-6237.

Sincerely,

A handwritten signature in black ink that reads "Karen M. Leavy-Munk".

Marshall Swindell
Product Manager 33
Regulatory Management Branch I
Antimicrobial Division(7510P)



United States
Environmental Protection Agency
 Washington, DC 20460

- Registration
 Amendment
 Other:

OPP Identifier Number
296880

Application for Pesticide - Section I

1. Company/Product Number 5383-68	2. EPA Product Manager Marshall Swindell	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Troysan® 174P	PM# 33	
5. Name and Address of Applicant (Include ZIP Code) Troy Chemical Corporation 8 Vreeland Road Florham Park, NJ 07932 <u>PLEASE SEND ALL CORRESPONDENCE TO</u> <u>"CONTACT POINT" LISTED BELOW</u> <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)		
Name Peko Rasic	Title Product Registration Specialist	Telephone No. (Include Area Code) (973) 443-4200 ext 2285
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 		
3. Title Product Registration Specialist		
4. Typed Name Peko Rasic		5. Date 01/20/2010



3/5

TROY CORPORATION

Via FedEx Courier

January 20, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attention: Mr. Marshall Swindell
PM Team 33

Subject: Troysan® 174P
EPA Reg. No.: 5383-68
Submission of Labeling Revisions per PR Notice 2007-4

Dear Mr. Swindell:

Enclosed, please find the revised labeling for the subject product in accordance with the provisions of PR notice 2007-4. Please note that no other labeling changes have been made outside the scope of this PR Notice. Included under this cover please find:


- application form 3570-1 (OPP Identifier No.: 296880);
- one copy of product label with revisions underlined.

Please contact me at either 973-443-4200, ext. 2285 or at rasicp@troycorp.com should you have any questions or require any additional information.

With kind regards,

Peko Rasic
Product Registration Specialist

Enclosure



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER**

Corrosive. Causes irreversible eye damage. Do not get in eyes, on skin, or on clothing. Wear goggles, eye shield or face shield and chemical resistant gloves when handling. Harmful if swallowed or absorbed through skin. May be fatal if inhaled. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

TROYSAN® 174P

A Preservative for use in the Manufacture of Latex Paints, Resin Emulsion Adhesives, Pigment Dispersions, Joint Cement, Cutting Oils and Drilling Additives

EPA Reg. No.	5383-68
EPA Establishment Number	5383-NJ-1

ACTIVE INGREDIENT:	% Weight
2-[(Hydroxymethyl) Amino] Ethanol	50.0%
INERT INGREDIENTS	50.0%
TOTAL	100.0%

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
IF INHALED:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.	

DANGER

FOR USE AS A PRESERVATIVE IN VARIOUS COMMODITY PRODUCTS

See Side Panel for Additional Precautionary Statements

KEEP OUT OF REACH OF CHILDREN

**IN CASE OF EMERGENCY:
CALL 1-800-424-9300**

Net Weight:

Troy Chemical Corporation
 One Avenue L, Newark, N.J. 07105

POLYPHASE® and MERGAL® are registered trademarks

5/15

**MENTS
:STIC ANIMALS**

Do not get in eyes, on
lid or face shield and
armful if swallowed or
Avoid breathing vapor
d water after handling.
ig before reuse.

lowly and gently with Remove contact lenses, then continue rinsing. r or doctor for treatment
ithing. th plenty of water for 15- r or doctor for treatment
ontrol center or doctor. less told to do so by a ctor. the person. outh to an unconscious
call 911 or an ambulance, ion preferably mouth-to- er or doctor for further
calling a poison control
se of gastric lavage.

TROYSAN® 174P

A Preservative for use in the Manufacture of Large Paints, Resin Emulsions, Adhesives, Pigment Dispersions, Joint Cement, Cutting Oils and Drilling Additives

EPA Reg. No.	5383-68
EPA Establishment Number	5383-NJ-1

ACTIVE INGREDIENT: % Weight
 2-[(Hydroxymethyl) Amino] Ethanol 50.0%
INERT INGREDIENTS 50.0%
TOTAL 100.0%

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

APPLICATION

Troysan® 174P is sold for industrial use only. Troysan® 174P is a broad spectrum, non-metallic organic microbicide designed for use in products subject to bacterial deterioration. Examples of such products are: latex paints, resin emulsions, adhesives (not intended for food contact), pigment dispersions, joint cements, cutting oils, and drilling additives. It is supplied as a powder. Troysan® 174P is used in all products where water is a primary component. Normal use levels range from 0.2-0.6% based on the total weight of the formulation. Troysan® 174P should be added to the latter phase of the manufacturing process. It should not be exposed to temperatures exceeding 125°F (52°C) for prolonged periods of time. Further, Troysan® 174P is not suitable for use in systems with a pH below 3.

NOTE: All amino based products may cause discoloration. Customers are encouraged to check for color stability in their systems.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store near heat or ignition sources. Do not store at freezing temperatures for prolonged periods. This product is corrosive to metal. Do not store in unlined metal containers.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DANGER

**FOR USE AS A PRESERVATIVE IN VARIOUS
COMMODITY PRODUCTS**

See Side Panel for Additional Precautionary Statements

KEEP OUT OF REACH OF CHILDREN

**IN CASE OF EMERGENCY:
CALL 1-800-424-9300**

Net Weight:

Troy Chemical Corporation
One Avenue L, Newark, N.J. 07105

POLYPHASE® and MERGAL® are registered trademarks

57