



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Antimicrobials Division (7510P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

5383-234

Date of Issuance:

1/23/23

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Troysan 960S Fungicide

Name and Address of Registrant (include ZIP Code):

Eliot Harrison
 Troy Chemical Corporation, c/o Lewis & Harrison LLC
 2461 South Clark Street, Suite 710
 Arlington, VA 22202
 Electronic Transmittal: eharrison@lewisharrison.com

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Antimicrobials Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Steven Snyderman, Product Manager 33
 Regulatory Management Branch II
 Antimicrobials Division (7510M)
 Office of Pesticide Programs

Date:

1/23/23

2. You are required to comply with the data requirements described in the DCI identified below:
 - a. Chlorothalonil – GDCI-081901-1301

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Reevaluation Team Leader (Team 36): <http://www2.epa.gov/pesticide-contacts/contacts-office-pesticide-programs-antimicrobial-division>

3. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 5383-234.”
4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. See FIFRA section 2(p)(2). If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process, FIFRA section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Assurance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated August 9, 2022

If you have any questions, please contact Zebora Johnson by phone at (202) 566-0730 or via email at johnson.zebora@epa.gov.

Enclosure: Accepted Label

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Danger. Fatal if inhaled. Do not breathe dust. Corrosive. Causes severe eye damage. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. This product may produce temporary allergic side effects characterized by redness of the eyes, mild bronchial irritation, and redness or rash on exposed skin areas. Persons having allergic reaction should contact a physician. Do not get in eyes or clothing. Harmful if swallowed or absorbed through the skin. Wear any NIOSH-approved respirator with an N, R, P, or HE filter. Wear goggles or a face shield, chemical resistant gloves such as nitrile, butyl rubber or natural rubber, long sleeved shirt and long pants when handling this product. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

USER SAFETY RECOMMENDATIONS
Users should: Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly and change into clean clothing. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth to mouth if possible.
IF SWALLOWED:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN:
This product may cause temporary allergic side effects characterized by redness and or rash on exposed skin areas. Treat with antihistamines or steroid creams and/or systemic steroids. If swallowed, prob able mucosal damage may contraindicate the use of gastric lavage.

EMERGENCY NUMBERS: Have the product label with you when calling a poison control center or doctor or going for treatment. 24-Hour Emergency Phone Number: 1-800-424-9300

Troysan® 960S Fungicide

For Manufacturing Use to Impart Mold and Mildew Control on Paint and Stain Films, Adhesives, Caulks and Sealants, and Decay Protection in Wood Composites

EPA Reg. No.	5383-tbd
EPA Establishment Number	5383-NJ-001

ACTIVE INGREDIENT:
Chlorothalonil (tetrachloroisophthalonitrile).....99.0%
OTHER INGREDIENTS:1.0%
TOTAL:.....100.0%



KEEP OUT OF REACH OF CHILDREN

DANGER - PELIGRO

[Note to Reviewer: In accordance with 40 CFR 156.68(d), all first aid statements, as prescribed, will appear on the front panel of the product label.]

INDUSTRIAL USE ONLY

See Side Panel for Additional Precautionary Statements

IN CASE OF EMERGENCY:


CALL 1-800-424-9300

Net Weight: 120 lbs.

Manufactured for:

Troy Chemical Corporation

One Avenue L, Newark, N.J. 07105



ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. DO NOT discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is used to protect treated articles from decay, mold or mildew, including paints and stains, adhesives, caulks, grouts, sealants, wood and wood composites.

Do not apply this product in a way that will contact workers or others. Only protected handlers may be in the area during use.

This product must not be sold as a mildewcidal paint additive designed for direct sale to retail customers, e.g. in a 'pillow pack' or other small volume or one-use package.

This product may be added only to paint products that are labeled:

A) with product-specific instructions for the use of a respirator during application, or

B) as follows: 'When applying with a sprayer, wear a NIOSH approved respirator with any R, P,' or HE filter. [If oil is not present in the paint product or recommended for use as an additive in the paint product, add "N" as an additional respirator type.]

This product must not be used as an in-container preservative.

Troysan 960S, a micromilled powder, is best dispersed during the pigment grinding operations for paints, stains and coatings. Grinding equipment normally used in the paint industry is recommended.

See accompanying product information sheet for additional directions for use.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE STORAGE: Store in a cool place. Protect from excessive heat.
PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, pesticide formulation or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then offer for recycling if available, or dispose of liner in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke. If drum is contaminated and cannot be reused, dispose of it in the manner required for its liner.



PRODUCT INFORMATION SHEET

This document must accompany each shipment

Troysan 960S Fungicide EPA REG. NO. 5383-tbd

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

LATEX EMULSION PAINTS, STAINS, AND COATINGS

Disperse 5 to 10 pounds of Troysan 960S per 100 gallons of exterior paint to obtain effective mildew control in the paint film after it is applied. Use the high rate in areas favorable to mildew and mold growth, such as where painted surfaces frequently are warm and moist. Troysan 960S when added to stains designed for exterior wood, also protects the wood from surface molds and mildew stains caused by fungi.

Use 2.5 to 5 pounds of Troysan 960S per 100 gallons of interior latex paint.

Troysan 960S is compatible with zinc oxide in latex paints.

Troysan 960S can be used with either unmodified or alkyd modified acrylic, vinyl acrylic, or polyvinyl acetate latexes.

Troysan 960S can be added into the paint formula during the pigment grind operation, during or after letdown, or post-added to a finished paint product after manufacture.

Note: If Troysan 960S is used to produce post-manufacturing paint additive products, such products must be distributed to and used by only professional personnel engaged in the mixing or blending of paints. Such post-manufacturing paint additive products may not be sold directly to homeowners or non-professional painters.

If an in-can preservative is used in combination with Troysan 960S, its compatibility with Troysan 960S should be examined first.

DO NOT use in paints designed for applications on food-contact surfaces, or on the interior of buildings engaged in food processing or food handling. **DO NOT** use in paints designed to be handled by children.

SOLVENT-BASED EXTERIOR PAINTS, STAINS, AND COATINGS

Troysan 960S protects solvent based paint and stain films from mold growth on the coated surface. Disperse 5 to 11.8 pounds of Troysan 960S per 100 gallons of paint. Use the high rate in areas favorable to mildew and mold growth, such as where painted surfaces frequently are warm and moist. Troysan 960S, when added to stains designed for exterior wood, also protects the wood from surface molds and mildew stains caused by fungi.

Dispersion is readily accomplished during the pigment grinding operation.

Zinc oxide can be used with Troysan 960S.



PRODUCT INFORMATION SHEET

This document must accompany each shipment

Troysan 960S Fungicide EPA REG. NO. 5383-tbd

ADHESIVES

Troysan 960S may be incorporated into adhesives to protect the applied adhesive films from mold growth and decomposition. Fully disperse 5 to 10 pounds of Troysan 960S per 1,000 pounds of adhesive while it is being manufactured. Use the high rate in areas favorable to mildew and mold growth, such as where surfaces frequently are warm and moist.

DO NOT use in adhesives designed for applications on food-contact surfaces, or on the interior of buildings engaged in food processing or food handling.

CAULKS AND SEALANTS

To provide mildew and mold control on caulking or sealing deposits after application, fully disperse 0.5 to 5 pounds of Troysan 960S per 1,000 pounds of caulk or sealant products while they are being manufactured. The high rate is recommended for exterior caulks.

DO NOT use in caulks or sealants designed for applications on food-contact surfaces, or on the interior of buildings engaged in food processing or food handling.

GROUTS

Troysan 960S may be incorporated into tile grouts to protect the finished grout joints from mold growth. Add Troysan 960S to dry grout at 0.4 to 1.5% by weight during the dry blending process (0.4 to 1.5 pounds of FUNGITROL 960S per 100 pounds of dry grout blend). Adequate controls must be employed to prevent dusting during the handling and use of this product.

COMPOSITE WOOD PRODUCTS

To provide decay protection for composite wood products, such as flakeboard or particle board that is to be used for building siding, sheathing, construction timbers, decking or planking, incorporate Troysan 960S into the wood composite material while it is being manufactured. Use 0.5 to 5 lbs. of Troysan 960S per cubic foot volume of final wood composite. The high loading rate should be used in composite wood products that are intended to be installed in contact with soil or concrete, or where the wood is intended to be exposed to conditions with continuously high levels of moisture. Thoroughly incorporate Troysan 960S into the composite material as it is being ground, mixed or blended with adhesives or binding materials prior to final formation of the wood composite matrix.

TROY CHEMICAL CORPORATION

One Avenue L

Newark, N.J. 07105