

RESTRICTED USE PESTICIDE

Do to Avian, Toxicity and Fish, and Aquatic Organism Toxicity. For retail sale to and use only by Certified Applicators or Persons under their direct supervision and only for those uses covered by the Certified Applicators certification.

SLUG'M

Contains 2% MESUROL

A VERY EFFECTIVE CONTROL FOR SNAILS AND SLUGS ON LAWN AND TURF AREAS, FLOWER GARDENS, ORNAMENTAL GROUND COVERS AND GREENHOUSES

A SOIL SURFACE TREATMENT FOR CONTROL OF SNAILS, SLUGS & SOWBUGS

ALSO FOR USE AS AN AID IN THE CONTROL MILLIPEDES

ACTIVE INGREDIENT:

Methiocarb * (4-methylthio 3,5 xylol methylcarbamate) 2.0%

INERT INGREDIENTS: 98.0%

Total 100.0%

*Contains Mesurol a Register Trademark of the parent company of Farbenfabriken Bayer, GmbH, Leverkusen.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim one or two glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
IF ON SKIN: Remove contaminated clothing and wash skin immediately with soap and warm water.
IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.
NOTE TO PHYSICIAN: Atropine Sulphate is antidote.

THIS PESTICIDE MAY BE FATAL TO CHILDREN AND DOGS OR OTHER PETS IF EATEN.

KEEP CHILDREN AND PETS OUT OF TREATED AREA.

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND NOTE TO PHYSICIAN.

EPA REG. NO. 5481-188 AA

NET WEIGHT 50 POUND

EPA EST. NO. 5481 CA 1

**AMVAC CHEMICAL CORPORATION
4100 EAST WASHINGTON BLVD.
LOS ANGELES CA 90023**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed inhaled or absorbed through the skin. Do not breathe dust, get in eyes, on skin or on clothing. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and warm water before re use. Do not contaminate feed or food. If poisoning occurs, obtain prompt medical aid.

NOTE TO PHYSICIAN: Emergency Information (213) 284 3810. Methiocarb is a cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and very highly toxic to birds. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residue on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in manner inconsistent with its labeling.

SOIL TREATMENT ONLY.. DO NOT APPLY DIRECTLY ONTO PLANTS

Do not allow granules to contaminate edible portions of any food crop.

REENTRY AND WORKER SAFETY STATEMENT

Do not apply this product in such a manner as to expose workers or other persons. Do not enter treated area for 24 hours after application unless protective clothing is worn.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in original labeled container in a cool, dry, locked place out of reach of children. Keep container tightly closed when not in use. Do not store in direct sunlight.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or, if allowed by State & local authorities, by burning. If burned stay out of smoke.

WHERE TO USE

FOR USE AS A SOIL TREATMENT AROUND THE HOME - ADJACENT TO FOUNDATIONS IN DICHONDRA and TURFGRASS AREAS FLOWER GARDENS GROUND COVERS - ORNAMENTAL GREENHOUSES - ORNAMENTAL PLANTINGS

For best SNAIL, SLUG, SOWBUG and MILLIPEDE control, thoroughly water areas to be treated 12 to 24 hours prior to application. Sprinkle 1 pound of granules uniformly over 1,000 Sq.Ft. of area. (44 lbs. per acre). Do not place granules in piles. Scatter bait so it is hardly visible on the ground. When making applications special attention should be given to treating areas around plant beds; under greenhouse benches; on dichondra and around building foundations; along edges of flower beds adjacent to flowering or ground cover plants; at the base of fences & walls in shady, protected locations and around susceptible green plants such as Spathiphyllum.

DO NOT USE ON or AROUND PLANTS GROWN FOR FOOD.

WHEN TO APPLY

Evening application gives most effective control. The effective life of the granules can be increased if watering is avoided for as long as possible after application. Do not apply before heavy rain is imminent. Repeat application as necessary to keep areas free of SNAILS, SLUGS, SOWBUGS and MILLIPEDES.

NOTICE: This product conforms to its chemical description and is reasonably fit for the purpose stated on the label, when used in accordance with directions under normal conditions of use. Manufacturer is not responsible for the use of this product contrary to the label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the manufacturer and/or seller and the buyer assumes the risk of any such use.

ACCEPTED
19 APR 1988
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 5481-188