

# BROMOPHENE 128

Germicidal Fungicidal Tuberculocidal  
Pseudomonical Deodorant

## BROMOPHENE 128 GERMICIDAL CLEANER

cleans, disinfects and deodorizes in one operation, leaves no film.

### EFFICIENCY DATA:

Pseudomonas aeruginosa (AOAC use dilution conf.)	1:128
Salmonella cholerausis (AOAC use dilution conf.)	1:128
Staphylococcus aureus (AOAC use dilution conf.)	1:128
M. tuberculosis (AOAC tuberculocidal test)	1:128
T. interdigitale (AOAC fungicidal test)	1:128
Phenol coefficient (AOAC) Salmonella typhosa	13.3
Staphylococcus aureus	11.6

### ACTIVE INGREDIENTS:

Isopropyl alcohol, potassium ricinoleate, potassium o-phenylphenate, tetrasodium ethylene diamine tetraacetate, potassium o-benzyl-p-chlorophenate, potassium p-tertiary-amylphenate, 3, 4', 5 - tribromosalicylanilide, 4', 5 - dibromosalicylanilide and other related bromosalicylanilides 36.85%

### INERT INGREDIENTS:

63.15%

**DANGER: KEEP OUT OF REACH OF CHILDREN**

See other precautions on back label

E. P. A. Reg. No. 5664 - 37

Net Contents:

Gallons

MANUFACTURED EXCLUSIVELY BY

**TECHNICAL MAINTENANCE PRODUCTS, INC.**

2211 N. American St.  
Philadelphia, Pa. 19133



2011 Teall Ave.  
Syracuse, N. Y. 13206



A P L P . C H

**ACCEPTED**  
*July 26, 1972*  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR THE REGISTERED  
EPA REG. NO. 2564-37 SUBJECT  
TO ATTACHED COMMENTS.

*500-1-21*

gation of water. Follow the cleaning procedures already described.  
**DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**

Rinse empty container thoroughly with water and discard it.

**DANGER: KEEP OUT OF REACH OF CHILDREN.**

Corrosive. May be harmful or fatal if swallowed. Causes damage to skin and eyes. Do not get on skin or in eyes. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. If eye irritation persists, get medical attention. Remove and wash contaminated clothing before reuse. If swallowed, do not induce vomiting, drink large quantities of fluid and call a physician immediately.

Printed in U.S.A