

Cross infection is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. **BARRETT'S DISINFECTANT CLEANER No. 12** is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection.

WARNING

Keep out of reach of children. May cause severe eye irritation or eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, give milk, raw egg white, gelatin solution; or if these are not available, drink water. Call a physician immediately.

BARRETT'S DISINFECTANT CLEANER NO. 12

Cleaner Disinfectant Deodorizer Fungicide - Virucide*
for Hospital and Institutional Use

AOAC Phenol Coefficients

Staph. aureus (ATCC No. 6538)	100
Salmonella typhosa (ATCC No. 6539)	43.8

Active Ingredients

Didecyl dimethyl ammonium chloride	4.25%
Tetrasodium ethylenediamine tetraacetate	1.60%
Sodium carbonate	2.00%
Sodium metasilicate,	0.50%

Inert Ingredients 91.65%

100.00%

EPA Registration No. 97-5667-97

Net Contents:

BARRETT CHEMICAL CO., INC.
H & Luzerne Sts. Phila., Pa. 19124

WARNING

KEEP OUT OF REACH OF CHILDREN. SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

USE DIRECTIONS

Add two ounces per gallon water.

Apply **BARRETT'S DISINFECTANT CLEANER No. 12** to walls, floors and other hard surfaces such as tables, chairs and bed frames with a cloth or mop. For heavily soiled areas, a preliminary cleaning is recommended.

At two ounces per gallon use level **BARRETT'S DISINFECTANT CLEANER No. 12** is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella enteritidis*, and *Trichophyton interdigitale*. Germicidal performance against the first three organisms has been confirmed by the AOAC Use Dilution Test. At 2 ounces per gallon the broad spectrum effectiveness of **BARRETT'S DISINFECTANT CLEANER No. 12** is shown by its germicidal action against the following additional organisms:

- Escherichia coli*
- Klebsiella pneumoniae*
- Salmonella schottmuelleri*
- Streptococcus faecalis*
- Shigella dysenteriae*
- Brevibacterium ammoniagenes*
- Enterobacter aerogenes*
- Proteus mirabilis*
- Streptococcus pyogenes*

* At two ounces per gallon use level **BARRETT'S DISINFECTANT CLEANER No. 12** is virucidal against herpes simplex (a member of the herpes family that causes infectious mononucleosis and the respiratory herpes virus), and adenovirus type 12 (a respiratory virus in respiratory diseases) and Influenza A₁ as represented by the strains commonly called the Hong Kong Flu and the London Flu Virus on inanimate environmental surfaces.

Fungicidal performance against *T. interdigitale* was determined by the Active Fungicidal Test.

Resistivity content of water used for dilution is important.