

10A 2
Pm/D

00000
0
0
00000

CHACON

ACCEPTED
JUL 27 1984
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 5719-51

ROSE and FLOWER
SPRAY

ALL PURPOSE
INSECTICIDE - FUNGICIDE

FOR THE CONTROL OF
APHIDS - SPIDER MITES - WHITE FLIES
LEAFHOPPERS - JAPANESE BEETLES
THRIPS - ANTS
POWDERY MILDEW - BLACK SPOT

ACTIVE INGREDIENTS:

Pyrethrins	0.020%
Rotenone	0.100%
Other Cube Resins	0.200%
Dichloro (2,3-Dichloro-1,4 Naphthoquinone)	0.120%
*N-octyl bicycloheptene dicarboximide	0.300%
Methoxychlor (2,2-bis (p-methoxyphenyl)-1,1,1-trichloroethane)	0.300%
2,4-Dinitro-6-octyl phenyl crotonate	0.091%
** 2,6-Dinitro-4-octyl phenyl crotonate	0.005%
Nitro octyl phenols (principally dinitro)	0.115%
Petroleum distillate	95.749%

INERT INGREDIENTS:

*MGK 264 Insecticide Synergist.
**Karathane. A mixture of 1-methylheptyl, 1-ethylhexyl and 1-propylpentyl isomers.

EPA REG. NO. 5719-51

EPA EST. NO. 33690-04

KEEP OUT OF REACH OF CHILDREN

CAUTION
See back panel for additional
precautionary statements.

NET 1 LB.
(454 gm.)

00000
0
0
00000

2023
~~ROSE~~ and FLOWER SPRAY

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Keep out of reach of children. Harmful if swallowed. Avoid breathing of spray mist. Avoid contact with skin. Do not contaminate food or feed.

Statement of Practical Treatment: If swallowed, do not induce vomiting. Call a physician or Poison Control Center immediately. Do not give anything by mouth to an unconscious person. If inhaled, remove affected person to an area of fresh air. If in eyes, rinse with fresh water for at least 15 minutes. Get medical attention if irritation persists. If on skin, wash affected area with soap and water.

Environmental Hazards

This product is toxic to fish. Do not apply directly to water.

Physical or Chemical Hazards

FLAMMABLE. Contents under pressure. Keep away from heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130 F may cause bursting. Do not smoke while using this product.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label thoroughly.

Shake well before using. Hold container in an upright position to spray. Point valve opening away from face when spraying. Apply in short 1 second bursts, holding container 18 to 24 inches away from the plant. Avoid excessive wetting of foliage. Do not apply when temperature exceeds 90 F or to plant in direct sunlight. Do not apply when foliage is wet. Do not spray on new growth or sensitive plants such as Cyclamen, Lantana, Nasturtium, or dull-leaf varieties of Roses. Do not use on vegetable plants.

For best results spray in early morning or early evening when air is still.

For use on Roses, African Violets, Asters, Azaleas, Begonias, Carnations, Camellias, Chrysanthemums, Dahlias, F. Johnsons, Geraniums, Gladioli, Marigolds, Grape Ivy, Fuchsia, Rhododendrons, Zinnias. To control Aphids, Spider Mites, Whiteflies, Ants, Lace Bugs, and Leafhoppers; Thrips, Japanese Beetle, and Rose Chafer when sprayed directly onto pest.

For the control of Powdery Mildew on Roses and Zinnias and Black Spot on Roses. Spray as soon as disease appears and repeat at 7 to 10 day intervals.

