

ACCEPTED

JUL 6 1971

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 23377 SUBJECT
TO ATTACHED COMMENTS.

WARNING: Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and food-stuffs.

When using on lawns for pre-emergent crabgrass control or insect control, keep children and pets off treated areas, until chemical has been thoroughly watered into the soil and grass is completely dried.

ANTIDOTE

External—in case of spillage on skin wash promptly with soap and water.

Internal—Emetic of 1 tablespoonful mustard in tumbler of water. Call a physician.

WARNING: This is a combustible mixture.

WARNING: This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Apply this product only as specified on this label.

CONTAINER DISPOSAL: Do not re-use empty container. Rinse equipment and containers and dispose of wastes by burying in non-croplands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes or by burning. **KEEP OUT OF SMOKE.**

NOTICE: Because Black Leaf Products Co. has no control over storage, handling, and conditions of use, which are of critical importance, Black Leaf Products Co. makes no representation or warranty, either express or implied for results due to misuse, improper handling, or storage of this material. Nor does Black Leaf Products Co. assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling, or storage of this material.

DISTRIBUTED BY

M BLACK LEAF PRODUCTS CO.
CHICAGO, ILLINOIS U.S.A.

Black Leaf

chlordane spray

ACTIVE INGREDIENTS:
Technical Chlordane* 45%
Petroleum Distillate 49%
INERT INGREDIENTS 6%
100%

*Equivalent to 27% Octachloro-4, 7-methanotetrahydroindane and 18% related compounds.

WARNING:
KEEP OUT OF THE REACH OF CHILDREN
See side panel for other cautions

USDA REG NO. 5887-6



for ants and lawns

KILLS
ANTS—ROACHES
HOUSEHOLD PESTS
LAWN INSECTS
JAP BEETLE GRUBS
—CHIGGERS

DIRECTIONS FOR USE OF BLACK LEAF 45% CHLORDANE SPRAY
This is an emulsifiable liquid and can be used in either a hand or power sprayer, diluted with water in accordance with the chart below.

FOR USE ON	KILLS THESE INSECTS	DOSAGE	WHERE AND HOW TO SPRAY
Household Outdoors	Ants Boxelder bugs Spiders Wasps	2 tablespoons (1 oz) in 1 gal. of water.	Spray walks, patios, around garbage con- tainers.
Indoors	Ants Flies Moths Roaches Silverfish Spiders	6 tablespoons (3 oz) in 1 gallon of wa- ter.	Spot treat only. Spray trails and around windowsills and frames, doors, openings near water pipes and cracks in walls.
Lawns Ornamental Turf	Ants Chiggers Cutworms Grasshoppers Jap beetle grubs Sod webworm White grubs Wireworms	2 tablespoons (1 oz) in 1 gal. of water.	Spray thoroughly, us- ing 1-gallon of spray per 150 sq. feet of area.
Crabgrass	For pre-emergent control	10 table- spoons (5 oz) in 2 gallons of water for each 100 sq. ft. area to be treated.	Early spring before seeds begin to ger- minate. Water lawn thoroughly after each application. Do not apply to newly seeded lawns.
Gardens Azaleas Camellias Yew Rhododen- drons	Ants Cutworms Strawberry root weevil	2 teaspoons (1/3 oz) in a gallon of wa- ter.	Spray generously around base of plant. Repeat every 14 days.

Depending on use, this bottle contains sufficient concentrate to make up to 96 gallons of spray.