

(Front Panel)

**Black (R)
Leaf
Since 1879**

**Borer
Spray**

C o n t a i n s l i n d a n e

Kills borers affecting peach trees and dogwoods, rhododendron and lilac borers, iris borers, and pine bark beetles.

For use on ornamental plants only. Not for use on forest trees, Christmas tree plantations, forest tree nurseries, or felled logs.

ACTIVE INGREDIENTS:

Lindane [gamma isomer of benzene hexachloride]	20.0%
Aromatic petroleum derivative solvent	70.0%
INERT INGREDIENTS	10.0%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See additional precautionary and practical treatment statements on back panel.

EPA Reg. No. 5887-54
EPA Est. No. 5887-IL-1


NET 32 FL OZ (1 QT) 946 mL

ACCEPTED
with COMMENTS
in EPA Letter Dated:

OCT 23 1986

Under the Federal Insecticide,
Fungicide, and Plant Growth Act
as amended, the pesticide
registered under EPA Reg. No.

5887-54



(Back panel)**PRECAUTIONARY STATEMENTS****HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed. May be absorbed through skin. Avoid breathing spray mist. Avoid contact with skin. Do not store diluted spray. Applicators must wear the following protective clothing during the application process: long-sleeved shirt, long pants, waterproof gloves, full foot covering, and a head covering.

Avoid contamination of feed and foodstuffs. Food utensils such as teaspoons, tablespoons, and measuring cups should not be used for food purposes after use with pesticides.

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

IF IN EYES: Rinse eyes for at least 15 minutes with water and call a physician immediately.

IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.

IF INHALED: Remove victim to fresh air and apply respiration if indicated.

NOTE TO PHYSICIAN: Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not contaminate water by cleaning of equipment, or disposal of wastes.

PHYSICAL/CHEMICAL HAZARDS

Do not use, pour, spill, or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BORERS: Borer damage is done by the larvae of certain clear-winged moths and beetles. Mixute and apply as spray (or with paint brush) to point of run-off on large limbs, and on trunks down to ground level. Proper timing will kill the adult insects in the egg laying stages. The same solution injected into borer holes with a force feed oil can will kill the larvae contacted.

INSECTS CONTROLLED	PLANTS	AMOUNT TO USE	APPLICATION
Iris Borers	Irises	One teaspoonful in one gallon of water	Destroy old leaves in early spring. Apply during April and in May.
Peach Tree Borers	Peach Trees*	One tablespoonful in one gallon of water	Do not apply directly to fruit or foliage. Apply 2 or 3 sprays to trunk, from ground to scaffold limbs, timed with moth flight.
Pine Bark Beetles	Pines	3 oz in each gallon of spray required	Spray trunks thoroughly.
Dogwood, Lilac, and Rhododendron Borers	Dogwoods, Lilacs, and Rhododendrons	One tablespoonful in one gallon of	Apply in May and early June.

3/3

09/11/90 17:35

RIGID CO. 1-502-222-5425
water

007

or 3 applications as
necessary.

Fruit Tree Bark Beetles	Apple*, Cherry, and Peach* Trees	One tablespoonful in one gallon of water	Apply during springtime to large limbs and bark of tree trunk.
----------------------------	-------------------------------------	--	--

*NOTE: Do not apply to trunks or limbs of apple or peach trees within 60 days of harvest.

When used as directed, this bottle will make as much as 64 gallons of spray.

STORAGE AND DISPOSAL

GENERAL: Do not contaminate water, food, feed, fertilizer, or other pesticides by use, storage, or disposal. If damaged, leaking, or spilled, soak up and wrap waste, then dispose of as below.

STORAGE: Keep in upright, tightly closed original container in a cool, dry, locked area away from flames, sparks, sunlight, other chemicals, and other sources of ignition, heat, degradation, or contamination.

DISPOSAL: Do not reuse empty container. Rinse original container thoroughly, then securely wrap in several layers of newspaper and discard in trash.

MANUFACTURED BY
BLACK LEAF PRODUCTS COMPANY
CHICAGO, ILLINOIS 60609

232

1086

Made in U.S.A.

