

RESTRICTIONS
Do not use on plants used for food or forage. Use only according to label directions.

WARNING: SYSTEMIC PLUS SPRAY is poisonous. Poisoning may occur as a result of exposure. It may be fatal if swallowed. May be absorbed through the skin. Avoid contact with skin, eyes, and clothing. Wash hands thoroughly after handling. Wash contaminated clothing before re-use. Do not breathe spray mist. Do not contaminate feed or food. Do not contaminate drinking water. Keep out of reach of children.

ANTIDOTE: Atropine sulfate and/or 2-PAM.

KEEP CONTAINER CLOSED AND AWAY FROM HEAT AND OPEN FLAME. Do not reuse empty container. Bury or discard in a safe place.

WARNING: Food utensils such as teaspoons and tablespoons should not be used for food purposes after use with pesticides.

WARNING: This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Meta-Systox-R is a registered trademark of Farbenfabriken Bayer A. G. Chemagro Corporation licensee. KELTHANE is a registered trademark of Rohm & Haas.

Equivalent to 4.4% of 2,2-bis(p-methoxyphenyl)1,1,1-trichloroethane and 0.6% of other isomers and related compounds.

MANUFACTURED BY
JACK LEAF PRODUCTS CO

1967, 1968, 1969



NET CONTENTS: ONE QUART

miticide and
systemic insecticide

Contains: Meta-Systox-R®—Methoxychlor—Kelthane®

For RESIDUAL INSECTICIDE
ACTION on Roses, Evergreens,
Ornamentals, Shade Trees, Lawns.



WARNING KEEP OUT OF THE REACH OF CHILDREN.
Keep container closed and away from heat and open flame.

See side panels for other cautions

EPA REG.NO.5887-56

Black
Leaf

systemic plus

WARNING: Food utensils such as teaspoons and tablespoons should not be used for food purposes after use with pesticides.

WARNING: This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Meta-Systox-R® is a registered trademark of Farbenfabriken Bayer A. G. Chemagro Corporation licensee. KELTHANE® Registered trademark of Rohm & Haas.

*Equivalent to 4.4% of 2,2-bis(p-methoxyphenyl)-1,1,1-trichloroethane and 0.6% of other isomers and related compounds.

DISTRIBUTED BY
BLACK LEAF PRODUCTS CO.

Elgin, Illinois 60120

00 - 242

For RESIDUAL INSECTICIDE
ACTION on Roses, Evergreens,
Ornamentals, Shade Trees, Lawns.

ACTIVE INGREDIENTS:

O,O-Dimethyl S-[2-(Ethylsulfinyl)ethyl] phosphorothioate	6.0%
Methoxychlor, technical*	5.0
1,1-Bis p-(chlorophenyl)-2,2,2-Trichloroethanol	0.9
Aromatic Petroleum Distillate	49.6
INERT INGREDIENTS	38.5

TOTAL 100.0%



ACCEPTED WITH COMMENTS

ACCEPTED

2-3-72

UNIVERSITY OF CALIFORNIA
 REGISTERED
 TRADE NAME
 5887-54
 ORDER NO.

Comments

DIRECTIONS FOR USE

Read entire BLACK LEAF SYSTEMIC PLUS label before using. Use strictly in accordance with the directions.

A portion of this insecticide combination is deposited on the plant surfaces to give general contact and residual insecticidal action. Another portion gives systemic action by being absorbed through the plant surfaces into the sap system. This gives longer residual effect and controls many insects not exposed to regular contact sprays.

USE	INSECTS CONTROLLED	DIRECTIONS
<u>Ornamentals</u> Roses Azaleas Taxus Rhododendron Shade Trees Evergreens	Aphids, Certain Scale Crawlers, Japanese Beetle, Lace Bug, Leaf Hopper, Mites, Plant Bug, Red Spider Mite, Rose Chafer, Spittle- Bug, Thrips	Mix 2 tablespoons in one gallon of spray. Apply spray when insects appear, aiming directly at insects. Thoroughly wet all plant surfaces. Repeat application weekly.
	Tent Caterpillars	Spray nests in evening.
	Taxus Weevil	Drench soil around base of tree and also spray lower branches.
<u>Birches</u> <u>Boxwood</u> <u>Holly</u>	Leaf Miners	Mix 2 tablespoons in one gallon spray. Apply spray when insects appear, aiming directly at insects. Thoroughly wet all plant surfaces. Repeat application weekly.
<u>Lawns</u>	Ants, Cutworms, Web- worms, White Grubs, Wireworms	Use 2 tablespoonsful per gallon of water which can be applied to control a 35-sq. ft. area. Water thoroughly after treating to work insecticide into soil. Keep children and pets off treated lawn until material is washed into soil and grass is dry.

When used as directed this bottle will make 32 gallons of spray.