

P. 11

5887-121

PM-25

134

BLACK LEAF EDGING LIQUID LABEL

EPA Registration No. 5887-121

Colors: Red, yellow, green, black on white paper

FRONT PANEL



Edging Liquid

Ready to use 1.50% Pramitol^{®*}

BARE GROUND WEED CONTROL AROUND Buildings, Fences, Recreational Areas, Drainage Ditch Banks, Fuel Tanks, Roadways, Storage Acres, Machinery, Pumps, Guard Rails, Airports, Military Installations, Highway Medians, Pipelines, Railroads, Lumberyards, Industrial Sites, Right-of-Way.....or Similar Areas.

ACTIVE INGREDIENTS:	
Prometon: 2,4-bis-(isopropylamino)	1.5%
3-methoxy-s-triazine [†]	94.9%
Petroleum distillate	4.5%
INERT INGREDIENTS:	
TOTAL	100.0%

*Pramitol[®] trademark of CIBA-GEIGY Corporation.

CAUTION
KEEP OUT OF REACH
OF CHILDREN
See side panel for additional precautionary statements.



EPA EST. NO. 5887-IL-1
EPA REG. NO. 5887-121 A
NET CONTENTS ONE GALLON

This product is registered and must be in accordance with the requirements of Federal Insecticide Guidance for Phase 2, 40 CFR 152.10, and any subsequent Change in Status.



SINCE 1879

2
3
4

BLACK LEAF EDGING LIQUID LABEL

EPA Registration No. 5887-121

LEFT SIDE PANEL

Edging Liquid

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Uniformly spray 1 gallon per 333 sq. ft. of soil surface or a strip 4 inches wide, 1,000 feet long, undiluted. Thoroughly wet all foliage to insure contact action. Best results are obtained when applications are made during or soon after weed emergence while growth is succulent. Where vegetation is tall and dense, use 1 gal. per 200 sq. ft., a strip 4 inches by 600 feet long. For control of hard-to-kill perennial weeds and grasses such as Johnsongrass, Bindweed and Wild Carrot, use 1 gal. per 83 sq. ft. Although EDGING LIQUID has considerable activity through foliar contact, much of its activity is through the roots and therefore adequate rainfall to move the chemical into the root zone is necessary.

Under conditions where the rainfall is high and the growing season long, a second application may be necessary to maintain a weed-free soil surface.

Care must be taken to keep this herbicide away from desirable flower beds, lawns or shrubs. Do not apply over roots of valuable trees, or woody ornamental plants. Only apply herbicide outside the drip line of trees.



SINCE 1879

BLACK LEAF EDGING LIQUID LABEL

EPA Registration No. 5887-121

RIGHT SIDE PANEL

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Keep out of reach of children. Harmful if swallowed. Avoid contact with eyes and skin. In case of skin contact, wash with soap and water. In case of eye contact, flush eyes with plenty of water. Get medical attention if irritation persists. Avoid inhalation of spray mist. Avoid contamination of food and feed.

ENVIRONMENTAL HAZARDS

Keep out of lakes ponds or streams. Do not contaminate water by cleaning of equipment or disposal of waste.

PHYSICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.


STORAGE AND DISPOSAL

Store at temperatures above 32°F. Do not reuse container. Wrap container and put in trash collection.

NOTE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

DISTRIBUTED BY
BLACK LEAF PRODUCTS COMPANY
ELGIN, ILLINOIS 60120
00-000

} B



SINCE 1879

ATTACHMENT I

A. ACTIVE INGREDIENTS:

Prometon: 2,4-bis-(isopropylamino)-6-methoxy-s triazine*	1.5%
Inert Ingredients	98.5%
Total	<u>100.00%</u>

* Pramitol trademark of CIBA-GIEGY Corporation.

B. Black Leaf Products
A Division of Wilbur-Ellis
Buckner, Kentucky 40010

