### BEST AVAILABLE COPY

JAN 3 0 1991

Mr. Jon M. Gehring Wilbur-Ellis Company P.O. Box 9518 Fresno, CA 93792

Dear Hr. Gehring:

Subject: Resmethrin Registration Standard
Black Leaf White Fly & Mealy Bug Killer
EPA Registration No. 5887-131
Your Submission Dated December 13, 1989

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Check with your supplier of petroleum distillate concerning its status as an active ingredient. If you do not include it with inert ingredients in this pesticide, you are responsible for any data required to support its reregistration as an active ingredient.

As additional labels are prepared, delete reference to the "two new highly active . . . " This pesticide has been registered since 1982.

Sincerely yours,

Phil Hutton Product Manager (17) Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosure

62450:1:A-4:Johnson:L17-11:KEVRIC:01/24/91:PERM:CL:WO:EK:DD

CONCURRENCES								
SYMBOL								
SURNAME		}	<b>[</b>	}	[			
DATE							}	
EPA Form 1320-1 (12-70)	······	<u> </u>	* * * y		<u> </u>	OFFICE	AL FILE COPY	

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Avoid breathing of vapor and skin contact. Avoid contact with eyes, in case of contact, flush with water.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before reuse. When using the product in these areas, apply only when the facility is not in operation.

Remove pets, birds and cover fish aquariums before spraying. Do not smoke while spraying.

#### ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Bo not apply directly to mater or metlands Academs, bogs, earshes, and potholes). Drift and runoff from treated sites may be harardous to tish in adjacent maters. Do not contaminate mater when disposing of equipment mashwaters.

#### PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USE. Point valve away from face and press button. Hold can at least 3 feet from surfaces which may stain and 18 inches from plants.

FOR CONTROL OF PESTS ON ORNAMENTAL PLANTS. For control of aphids, two-spotted spider mites, mealybugs and adult white files on ornamental house and greenhouse plants (African violets, aralias, Christmas cherries, chrysanthemums, cinerarias, diffenbachias, fuschias, gloxinias, ivy, lantanas, Neathe bella paims, petunias, roses and snapdragons); and on outdoor plants (azaleas, chrysanthemums, euonymus, ivy, marigolds, petunias, roses, snapdragons and zinnias). Spray plants with a slow sweeping motion so that mist drifts into plant. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat as necessary. When using outdoors, spray when air is still.

FOR CONTROL OF RESIDENTIAL AND INDUSTRIAL INSECTS Flies, Mosquitoes, Gnats, and Flying Moths: Direct spray at insects using short bursts (1 to 2 seconds) or treat unoccupied area as follows: Close doors and windows. With a sweeping motion direct spray upward to all parts of the room (8 to 10 seconds per 1000 cubic feet). Keep room closed for 15 minutes. Do no remain in treated area. Ventilate area after treatment is completed.

WASPS and HORNETS: Direct spray at these insects using short bursts. Spray thoroughly into nests, hiding and breeding places when insects have settled at night.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Roaches, Sowbugs, Boxelder Bugs, Centipedes, Earwigs, Crickets, Grain Mites and Spiders: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and sterage areas: Spray directly on these where possible. Repeat as necessary.


### STORAGE AND DISPOSAL

Geromeral's to not contaminate matery foot, or feed by use, storage, or disposal. If damaged or leating, soak up and urap maste, then dispose of as below.

Storages Keep in a cool, dry, locked area away from flames, sparks, sunlight, or other sources of heat or ignition. Buntuingers heated above 130°F (34°C) way burst.

Dispusate Refastin projective-cap in container, securely map in several layers of neuspaper and fiscinctists. G oft incinerate or puncture.

NOTICE: Suyer assumes all risks of use, storage or diling of this product not in strict accordance with directions given herewith.



For indoor & outo

ALSO KILLS: Aphids and spider listed plants. Contain: a comb highly active synthetic pyrethro For control of residential, indus sect pests.

ACTIVE INGREDIENTS:	
*Tetramethrin	0.2
Relater compounds	0.0
* * Resmethrin	0.3
Related compounds	0.
Petroleum Distillate	8.
INFRT INGREDIENTS	90.
· ·	100

\*1-cyclohexene-1, 2-dicarboxlmidom 2,2-dimethyl-3-(2-methylpropenyl)cycl panecarboxylate

\*\*(5-Benzyl-3-furyl) methyl 2,2-dim 3-(2-methylpropenyl) cyclopropanecal late. Cis/trans isomer content: Max. 30' cis and min. 70% (±) trans. U.S. Pater 3.465.007

# KEEP OUT OF REACH CAUTIO

See rear panel for additional preca

EPA EST. NO. 33

EPA REG. NO. 5887-131