# PRECAUTIONARY STATEMENTS

HAZAROS TO HUMANS AND DOMESTIC ANIMALS

## CAUTION

Harmful if swallowed or absorbed through skin. Do not breathe vapors or soray mist. Avoid contact with skin or eyes Avoid contamination of food or feedstuffs. Do not use in food/feed areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. NOT FOR USE IN USDA MEAT AND POULTRY PLANTS. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods/feed are served such as dining rooms but excluding areas where foods may be prepared or held. In the home, all food/feed processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food/feed should be covered or removed. Nonfood/non-feed areas are areas such as garbane rooms. lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling), Remove pets, birds, and cover fish aquariums before spraying. Do not allow children or pets to contact treated surfaces until spray has diried. Do not apply to classrooms when in use.

## **ENVIRONMENTAL HAZARDS**

Do not apply directly to water.

FIRST AID		
lf Swallowed:	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> </ul>	
	<ul> <li>Have person sip a glass of water if able to swallow.</li> </ul>	
	Do not induce vomiting unless told to do so by the poison control center or doctor.	
i	<ul> <li>Do not give anything by mouth to an unconscious person.</li> </ul>	
If on Skin or Clothing:	Take off contaminated doffning.	
	<ul> <li>Rinse skin immediately with plenty of water for 15</li> </ul>	
	20 minutes.	
	<ul> <li>Call a poison control center or doctor for treatment advice</li> </ul>	
if inhaled:	Move person to fresh air.	
	<ul> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to- mouth, if possible.</li> </ul>	
	<ul> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>	
lf in Eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 min.</li> </ul>	
	<ul> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye</li> </ul>	
	. Call a poison control center or doctor for treatment advice	

EPA Reg. No. 5887-160 EPA Est. No. 11715-TN-1 (M), 3657-WI-2 (I) 58995-MO-1 A 11623-CA-1 G Subscript corresponds to first letter of lot number on bottom of can.

center or doctor, or going for treatment.

Distributed by: Value Garden Supply, LLC P.O. Box 585 St. Joseph. MO 64502-0585 (952) 884-6477 RM 08461-00





# Ant & Roach Killer

Ready To Use

Also Kills Fleas, Ticks, Silverfish, and Other Listed Insects

ACTIVE INGREDIENTS:	
Pyrethrins	0.05%
N-Octy i bicycloheptene dicarboximia	le,. 0.25%
Penmethrin (**(3-ghenexyphenyl)	
methyl (#) cis-irans-3-(2,2-	
dichloroethenyl) 2,2-dimethyl-	
cyclopropa necarboxylate	0.20%
Other related compounds	
NERT INGREDENTS	
TOTAL	100.00%

" Cis-trans isomers ratio and Min. 45% (±) Iran

See back panel for Additional Precautions.

NET WT, 18,75 FL, OZ, (1 LB, 2,75 OZ,) 531g

KEEP OUT OF REACH

OF CHILDREN

## DIRECTIONS FOR USE

CONTRACTOR OF THE PARTY OF THE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE

For soot/crack and crevice treatment only. Do not use as a space spray.

General: Use this spray as a spot or crack and crevion treatment to control cockroaches, fleas, silvurfish, ticks, waterbugs and other insects listed below. Apply this product only as a coarse spray or crack and crevice treatment to localized areas where pests are found or may occur. Spray surfaces until wet. Repeat as needed.

## FOR SPOT TREATMENT

To Kill Ants, Cockroaches, Crickets, Silverfish, Spiders, Sowbugs and Carpet Beetles: Spray areas where these pests are found or may hide, including dark comers of rooms and closets: cracks and crevices in walls: along baseboards and door and window frames; behind and beneath sinks, stoves, refrigerators and cabinets; and around garbage cans, plumbing and other utility installations. Pests driven out of hiding places should be sprayed directly. For ants, apply to ant trails, also around doors and windows and wherever else these pests may find entrance. Repeat as necessary

To Kill Brown Dog Ticks and Fleas: Thoroughly apply as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames, and localized areas of floor and floor coverings where these pests may be present. Old bedding should be removed and replaced with clean, fresh bedding after treatment.

DO NOT SPRAY PETS WITH THIS PRODUCT.

#### STORAGE AND DISPOSAL

Storage: Store in a cool dry area away from heat, or open flame. Pesticide Disposal: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain. Container Disposal: Do not incinerate or puncture. Replace cap and discard container in trash or offer for recycling if available.

For information on this pesticide product (including health concerns medical emergencies, or pesticide incidents). call the National Pesticides Telecommunications Network at 1-800-858-7378.

#### I IMITED WARRANTY AND DISCLAIMER

Buyer assumes all responsibility for safety and use not in accordance with directions.

## PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, flame. Do not puncture or incinerate container Exp size to temperatures above 130°F may cause bursting Do not use this product in or on electrical equipment due to the possibility of shock hazard.

MAY 2 8 2002

Under the Federal insecticide. Pungicide, and Rodenticlide Acr. as emended, for the pesticide registered under