

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.



POISON SIGNS (Symptoms)

METHYL PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surface and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

DISPOSAL

DO NOT CONTAMINATE BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES. WASH EMPTY CONTAINER WITH ALKALI. CRUSH OR PERFORATE. BURY IN SAFE PLACE AWAY FROM WATER SUPPLIES AND RUN OFF. NEVER RE-USE.

DO NOT CONTAMINATE FEED OR FOODSTUFFS. DO NOT USE IN UNDILUTED FORM. DO NOT STORE BELOW 0° F.

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. KEEP CONTAINER CLOSED. LEAKING PACKAGES SHOULD BE REMOVED TO A SAFE PLACE.

NOTICE TO BUYER— Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

IN CASE OF CONTACT, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

ANTIDOTE— administer atropine sulfate in large doses. TWO TO FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See accompanying product information label.

CROP USE DIRECTIONS

Use only according to accompanying label DIRECTIONS FOR USE.

USAGE CAUTIONS

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**Dealers Should Sell In
Original Packages Only**

CHAMBERLAIN'S COPY
COPY COPY

ACTIVE INGREDIENT	4-(Methylthio)-3,5-xylol methylcarbamate*	20%
INERT INGREDIENTS		80%
	TOTAL	100%

Reg. M. U.S. Pat. Office by Faldenfabriken Bayer A.G. Chem. & Pharm. Werke.
 U.S. Pat. No. 2,813,681 — Canadian Pat. No. 812,713

WARNING: KEEP OUT OF REACH OF CHILDREN

STOP — READ LABEL BEFORE USE

WARNING

This pesticide may be fatal to children, dogs or other pets if eaten. Keep children and pets out of treated areas. Follow directions and use with care.

May be harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before re-use.

Do not contaminate feed or food. Keep out of reach of children and domestic pets.

IF POISONING OCCURS, OBTAIN PROMPT MEDICAL AID.

ANTIDOTE: Atropine Sulfate.

SEE SIDE/BACK PANEL FOR ADDITIONAL CAUTION STATEMENTS

EPA REGISTRATION NO. 5967-68 AA

EPA EST. 5957-CA-1


MANUFACTURED BY

MOYER CHEMICAL COMPANY

1000 BAYSHIRE BLVD. NEWAY, CALIF. 94565

NET CONTENTS

POUNDS



MOLLUS 2% BAIT

DIRECTIONS FOR USE

MOLLUS 2% BAIT is very effective for control of Slugs and Snails on lawn and turf areas, in flower gardens, and in greenhouses. The bait should be applied to soil around ornamental plants but not directly to plant foliage.

Sprinkle 1 pound of Mollus 2% Bait uniformly over 1,000 square feet of area to be treated. For best results, lightly water the area to be treated before applying the bait. When making applications, special attention should be given to treating areas around flower beds, under greenhouses, benches and around building foundations. Repeat applications as necessary to keep areas free of slug and snail pests.

RESTRICTIONS

Do not use on plants grown for food. Do not put bait in piles. Scatter bait so that it is hardly visible on the ground.

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on label.

CONDITIONS OF SALE

These directions reflect the opinion of experts based on tests of effectiveness, toxicity to plants and laboratory animals and of residues on or in food and feed under normal conditions of use. However, because of wide range of conditions under which this product may be used, even though label directions are followed, it is impossible to eliminate all risks associated with its use because of abnormal conditions beyond the control of the seller. MOYER CHEMICAL COMPANY and the seller offer, and the buyer uses, this product subject to the understanding that the buyer assumes all such risks.

CONTAINER DISPOSAL

DO NOT RE-USE THE CONTAINER — Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies.

Burn the empty container completely. Exercise extreme caution and stay well away from smoke.

DO NOT USE CONTAINER IN ANY CONNECTION WITH FEED, FOOD OR DRINKING WATER.

NOTICE TO BUYER — Seller makes no warranty, expressed or implied, concerning the use of this product, other than indicated on the label. Buyer assumes all risk of use and/or handling of this product when such use and/or handling is contrary to label instructions.

NET WEIGHT 5 LBS