This product is a chlorinating bactericide, designed for use on utensils and equipment used in handling milk and other food items.

### PRECAUT: ONARY STATEMENTS Nazards to Humans and Domestic Animals

Highly corrosive. Causes skir, and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse. Avoid contamination of food.


ENYIROMMENTAL NAZAROS

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless is accordance with an NPDES permit. For guidance contact your regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS

Strong oxidizing agent. Mix only with water. Usa clean utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation c. heat, generation of hazardous gases and possible generation of hazardous gases and possible generation of fire explosion. In case of contemination or decomposition do not reseal container. If possible isolate container in open air or well-ventilated area. Flood with large volume of water if necessary.

NET CONTLNTS: 4 x 8 : B JAF CASE



fide, and has stated to Aut. TIME-SAVER **ORGANO-CHLOR Germicide Deodorant** 

> **CTIVE INGREDIENTS** INERT INGREDIENTS: ......93%

## **KEEP OUT OF REACH OF CHILDREN** DANGER

Fractical Treatment FIRST AID

If swallowed: Feed bread soaked in milk followed by olive cil or cooking oil. Call a physician immediately.

If on skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get niedical attention.

I in eyes: Flush with cold water for at least 15 minutes. Get medical attention.

SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL Only for Sale to, Use and Sterage by Service Personnel **EPA REG. NO. 5991-8** EPA EST. NO. 5991-GA-1



the Fodore seem and

فللم غيبيان درثا الارداء الدوليان

rad under ug. No.

# TIME CHEMICAL, INC.

3780 Browns Mill Road, S.E. Atlanta, Georgia 30354 (404) 767-7526

A SUBSIDIARY OF HEALTH-CHEM CORPORATION

## DIRECTIONS FOR USE

## DIRECTIONS FOR USE OF THIS PRODUCT ON FARM

\*Cheaning and DBintOctiffs Cans. Pails and Other Dairy Utensils: Right after mitking, Times all uses life theroughly with fresh

cold water. a a a a a sapiness Brush utentils thereuphly with warm water and seapless cleaner and rinse with fresh clear water.

3. Prepare a disinfecting solution of this product.

4. Just before milking, riese the clean utensels with a solution of this product, or where ordinance requires, completely immerse the utensils in a solution of this product.

5. Make a fresh solution of this product daily.

Militian Machine.

- 1. Draw at least 1 bucketful of water through milking machine while still attached to suction line. Repeat, using warm water and soapless cleaner and rinse. Clean metal parts of milking machine and rinse.
- 2. Place test cups and rubber tubing on rack and till with a salution of this product or submorge them in solution. Let seek until ready to use.
- 3. Treat milking machine pail and cover same as other utentils.

#### TO MAKE UP DISIMFECTING SOLUTION:

Dissolve 2 oz. of this product into 2½ gallons of water (approx. 200 ppm Av. Cl.) If solutions are not tested periodically, it is wise to add an extra ounce of this product to water to be sure that Av. CI, is over 50 ppm at all times.

This product is approved by Boards of Health for use on Dairy and Milking Utensils.

#### DIRECTIONS FOR RESTAURANTS-TAVERNS

To Disinfect Dishes, Glasses and Canning Jars:

1. First Sink: Wash thoroughly with a good detergent.

2. Second Sink: Rinse in clean water, Change water frequen 3. Third Sink: Mix one sunce of this product with 3% gallons of clean water and stir to mix. (NOTE: Supplies apprex. 100 pen av. cl.) Immerse clean items in this solution for at least 2

minutes. Remove and air dry. 4. Check chilerine content every 2 hours, It chierine content draps below 50 ppm, empty third sink and prepare a fresh solution.

#### CLEANING AND DEDDORIZING

flict as a Maintestant): REFRIGERATORS: Wash out with a solution of 1 oz, of this product to a quart of water.

COFFEE AND TEAPOTS: Add 1 oz. of this product to a quart of water in pot; let stand 2-3 minutes. Wash with cloth. Nince and air

This product is approved by Beards of Health for use in Restourant and Tavern Utensil (Dishes, Glasses, etc.) Sanitizing.

## STORAGE AND DISPOSAL

Keep product dry in tightly closed container when not in use. Store in cool, dry, well-ventilated area away from heat or openflame. In case of a decomposition isolate container, if possible, and flood with large amounts of water to discoive all material before discarding. Place in track collection or dispuse in approved tenditil area or bury in a sale place.