

IT'S TIME FOR CLEANING



TIME SAVER

DIRECTIONS FOR USE

Dairies, Beverage, Food Processing Equipment — Farm Bulk Tanks, Pails, Strainers, Milking Machine Parts.

- A. Clean equipment immediately after use
1. Rinse with clean water
 2. Wash with recommended Time Chemical product
 3. Rinse with clean water
 4. Air dry—protect from dust and dirt
- B. Sanitize immediately before re-use with Time-Saver Bactericide

Immersion or circulation—use 1 ounce Time-Saver Bactericide per 6 gallons of water (100 ppm available chlorine).
Spray Method — use $\frac{1}{4}$ oz. Time-Saver Bactericide per 2 gallons of water (250 ppm available chlorine).

RINSE WITH POTABLE WATER

CONTACT TIME: The laws of some states require that utensils and equipment remain in contact with germicidal solution for at least two (2) minutes. Check with your Health Department

BACTERICIDE ALL SOLUBLE CHLORINE GERMICIDE- DISINFECTANT-DEODORANT

Active Ingredients 20%
15% Sodium Dichloro-s-Triazinetrione
5% Sodium Metasilicate
Inert Ingredients 80%
(Includes Activating Agents)
Available Chlorine content on a
dry basis—9%

CAUTION: Keep Out of Reach of Children
Do Not Take Internally
See Additional Cautions on Side Panel

Time-Saver Bactericide is the Grade 'A' Pasteurized Editions of the U. S. Public Health Service's AOAC Germicidal Analysis Method.

See Contact Time — It is not 100 ppm available chlorine solution. Authorities — then rinse with concentrations in excess of 100 ppm with potable water before use.

CAUTION: Harmful if swallowed. Avoid contact with skin and eyes. In case of contact with eyes, get medical attention immediately.

PROPORTION TO USE

Concentration
 $\frac{1}{4}$ oz. / 2 gallons
1 oz. / 6 gallons
U.S.D.A.

TIME Chemical, Inc.

CHICAGO — ATLANTA — NEW YORK

9-25-69
5491-22

110

TIME SAVER

BACTERICIDE ALL SOLUBLE CHLORINE GERMICIDE- DISINFECTANT-DEODORANT

Active Ingredients 20%
 15% Sodium Dichloro-s-Triazinetrione
 5% Sodium Metasilicate
 Inert Ingredients 80%
 (Includes Activating Agents)
 Available Chlorine content on a
 dry basis — 9%

CAUTION: Keep Out of Reach of Children
 Do Not Take Internally
 See Additional Cautions on Side Panel

Time-Saver Bactericide fulfills the criteria of Appendix F of the Grade 'A' Pasteurized Milk Ordinance 1965 Recommendations of the U. S. Public Health Service when tested by the AOAC Germicidal and Detergent Sanitizers — Official Method.

See Contact Time — It is not necessary to rinse after sanitizing with a 100 ppm available chlorine solution unless required by local Health Authorities — then rinse with clean safe water. Any surfaces treated with concentrations in excess of 100 ppm available chlorine must be rinsed with potable water before reuse.

CAUTION: Harmful if swallowed. Undiluted product causes skin irritation. Avoid contact with eyes. Avoid contamination of food. In case of contact, flush with plenty of water; for eyes, get medical attention.

PROPORTION TO USE TABLE

Concentration	Available Chlorine
¼ oz. / 2 gallons	250 ppm.
1 oz. / 6 gallons	100 ppm

U.S.D.A Reg. No. 5991-22

TIME *Chemical, Inc.*

CHICAGO — ATLANTA — NEW YORK

Equipment — Farm Bulk
 Machine Parts.
 Use
 Chemical product
 with
 Time-Saver Bactericide
 (available chlorine).
 Time-Saver Bactericide per 2
 (available chlorine).
WATER
 require that utensils and
 solution for at least
 Department.

RECEIVED
 11-25-69
 5991-22

110