DEC 07 1987

Damon Chemical Company, Inc. 12435 Rockhill Avenue NE. Alliance, OH 44601

Attention: Brian T. Martin

Gentlemon:

1/4 6186-45

Subject: Ster-O-Kem #26 EPA Registration No. 6186-45 Your Application Dated January 18, 1987

The amendment referred to above, submitted in connection with the Label Improvement Program Notice for Antimicrobial Products Used as Food Contact Surface Sanitizers, is acceptable provided that you:

- 1. Make the labeling change listed below before you release the product for shipment bearing the amended labeling.
 - Under the DIRECTIONS heading, add the following misuse statement.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

CONCURRENCES								
SURNAME	ł .	1				1		
				[<u> </u>

16776:I:Lee:L-2:KENCO:11/10/87:11/19/87:aw:vo:dg:tg

OFFICIAL FILE COPY

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

John H. Lee

Product Manager (31) Disinfectants Branch Registration Division (TS-767C)

Enclosure

2/4



GUARANTEED BY DAMON CHEMICAL CO., INC., Alliance, Ohio

DANGER: KEEP OUT OF REACH

Corrosive. Causes severe eye and skin damage. Do not get clothing. Wear goggles or face shield, and rubber gloves w or fatal if swallowed.

6/86.95
FIRST AID — In case of contact, immediately flush eyes or s for at least 15 minutes. For eyes, call a physician. Remove and clothing before reuse. If swallowed, drink milk, egg whites, ge rai Insecticide are not available, drink large quantities of water. Call a physician in the statement of th

Storage and Disposal

EPA Reg. No. - Do not contaminate water, food, or feed by storage disp - Do not store on side.

- Avoid creasing or impacting of side walls.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of or mixture of rinsate is a violation of Federal Law. If these wa ed of by use according to label instructions, contact your vironmental Control Agency, or the Hazardous Waste repre-EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or recondidispose of in a sanitary landfill, or incineration, or, if allow authorities by burning. If burned, stay out of smoke.

Do not reuse empty container (bottle, can, bucket). Wrap cor



DIRECTIONS

COLD DISINFECTION For disinfection of previously cleaned surgical instruments, barber tools and dental equipment, simply submerge instruments into solution containing 1½ ounce Ster-O-Kem 26 Disinfectant per gallon of water for 10 minutes.

HOSPITALS -- For floors, walls and other hard surfaces. In Nursing Homes, Institutions as well as Sink Tops, Garbage Pails, Telephones and Restrooms, use Ster-O-Kem 26 Disinfectant at 3½ ounces per 5 gallons of water. At this level Ster-O-Kem will be effective against Pseudomonas aeruginosa PRD-10.

HOUSEHOLD — For sanitizing and disinfecting floors, walls and inanimate hard surfaces. For Schools, Homes, Locker Rooms, Garbage Pails, Sink Tops, Corridors, Classrooms, Offices and shower stalls. Apply solution with mop or cloth. Sanitize with 1 ounce Ster-O-Kem 26 Disinfectant to 4 gallons of water. Disinfect with 3 ounces of Ster-O-Kem 26 Disinfectant to 5 gallons of water. Kills Staphylococcus aureus and Salmonella choleraesuis. For heavily soiled or contaminated areas, a precleaning slep is recommended.

SANTIZING FOOD CONTACT SURFACES-For use in restaurants and bars, daries and food processing plants on dished, glassware, silverware, cooking utensils, tanks, lines, sinks, milkcans and food processing equipment. Remove gross food particles by pre-flushing, scraping or soaking. Wash with compatible detergent followed by a potable water rinse <u>before</u> application of santizing solution.

Dilute 1 ounce of Ster-O-Kem #26 per gallon of water (200rpm) and immerse for at least two minutes. Remove from solution and let drain before use.

