

Front Panel of Label

LONE STAR 14% PROTEIN HI-PRO-FLY - MINERAL - MEDICATED

FOR RUMINANTS ONLY

1052

Aids in preventing the breeding of horn flies and face flies in the manure of treated cattle, when used as directed. Aids in the control of stomachworms (Haemonchus, Ostertagia, and Trichostrongylus spp.), nodular worms (Cesophagostomum spp.), largemouth bowelworms (Chabertia spp.), and hookworms (Bunostomum spp.) in cattle when fed in accordance with directions for use. Aids in the prevention of foot rot caused by Spheophorus necrophorus, and in soft tissue lumpy jaw caused by Actinobacillus lignierisi in cattle when fed as directed.

Pesticidally Active Drug Ingredient:

Phenothiazine . . . . .	0.44%
Pesticidally Inert Ingredients. . . . .	99.56%
TOTAL . . . . .	100.00%

Active Drug Ingredient:

Ethylene diamine dihydriodide . . . . .	0.01%
---	-------

GUARANTEED ANALYSIS

Crude protein not less than . . . . .	.14.00%
Crude Fat not less than . . . . .	1.00%
Crude Fiber not more than . . . . .	6.00%
Calcium (Ca) not more than. . . . .	2.50%
Calcium (Ca) not less than. . . . .	2.20%
Phosphorus (P) not less than. . . . .	2.00%
Manganese (Mn) not less than. . . . .	0.022 %
Magnesium (Mg) not less than. . . . .	0.52%
Salt (NaCl) not more than . . . . .	11.00%
Salt (NaCl) not less than . . . . .	9.00%
Vitamin A . . . . .	6000 USP Units per pound
Vitamin D <sub>2</sub> . . . . .	1800 USP Units per pound


INGREDIENTS

Plant protein products, forage products, animal protein products, plant protein by-products, salt (NaCl), dicalcium phosphate, cane molasses, magnesium oxide, manganese sulfate, ferrous sulfate, irradiated dried yeast (source of Vitamin D<sub>2</sub>), vitamin A palmitate (stability improved), copper sulfate, cobalt carbonate, zinc sulfate.

Manufactured By

TEXAS FARM PRODUCTS COMPANY  
Nacogdoches, Texas 75961

50 Pounds (Net Weight)



*Comment*  
TEXAS PERMIT NO. 38820  
EPA Reg. No. 6482-3

WARNING: Keep Out Of the Reach Of Children.  
See additional warnings on back panel of this tag.

Back Panel of Label:

FEEDING DIRECTIONS:

Feed 4 ounces for each 100 pounds of body weight per day, which will equal  $\frac{1}{4}$  gram of phenothiazine per 100 pounds of animal body weight not to exceed 1.25 grams daily. Cattle weighing 500 pounds should be fed  $\frac{1}{2}$  pound per head daily. Cattle weighing 1000 pounds should be fed 1 pound per head daily.

Cattle should be given access to 14% Protein HI-PRO-FLY several weeks prior to the appearance of adult horn flies in the spring and fed continuously until the flies disappear in the fall. 14% Protein HI-PRO-FLY will prevent the breeding of horn flies and face flies but have no effect on existing adult fly populations. Since horn flies over-winter in the pupal state, all cattle should be sprayed when the flies first appear. This kills the flies emerging from last year's pupae, and will protect the cattle for about two weeks until the 14% Protein HI-PRO-FLY can take effect. Since face flies migrate from farm to farm, it is essential that the larvicide program be conducted on an area basis to assist in the reduction of the face fly population.

For best results, animals should be dewormed with drugs such as tramisol or thiabendazole (follow label directions on product use) twice a year, in the spring and fall, for removal of the specified parasites. Continuous low-level treatment, in conjunction with good herd management practices, will control the specified parasites and will help control reinfestations.

WARNING:

Do not administer to lactating dairy animals. Occasional sensitivity to phenothiazine has been reported in cattle. Consult a veterinarian before using in severely debilitated animals. Certain parasites may become resistant to phenothiazine therapy. DO NOT REUSE EMPTY CONTAINER. DESTROY IT BY BURYING WITH WASTE OR BURNING. STAY AWAY FROM SMOKE OR FUMES.

ACCEPTED WITH COMMENTS