



# Nobel

## SAN-A-10

QUATERNARY AMMONIUM COMPOUND

**ACTIVE INGREDIENTS**

N Alkyl (C14 50%, C12 40%, C16 10%)  
Dimethyl Benzyl Ammonium Chlorides 10.0%

**INERT INGREDIENT**

Water 90.0%

**TOTAL 100.0%**

Phenyl Coefficients  
Salmonella Typhuse 50, S. Aureus 100  
Staphylococcus aureus 35000

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

See back panel for additional cautions

NET CONTENTS ONE GALLON

EPA Reg No. 6550-12



NET CONTENTS FIVE GALLONS

01-15-67  
A1-16

**DIRECT**

**SANITIZATION OF GLASSWARE, SILVERWARE, DISHES**  
Clean with a suitable detergent, rinse thoroughly. Add one ounce Nobco San A 10 in one gallon of water.  
**AFTER SANITIZING, RINSE IN POTABLE WATER**  
**DEPARTMENT**

**SANITIZATION OF EQUIPMENT IN FOOD PROCESSING**  
Clean and rinse equipment thoroughly. Add one ounce Nobco San-A-10 per four gallons of water. Rinse before re-use. On surfaces (e.g. cutting boards) increase strength of solution of water.

**RINSE THOROUGHLY IN POTABLE WATER**

**Proportion**

1000 Ppm Use 1 oz. to 4 gal.  
100 Ppm Use 1 oz. to 40 gal.

**THIS COMPOUND IS EFFECTIVE IN WATER**

**CAUTION.** Avoid contamination of water. This is a strong disinfectant and should be well diluted. Avoid contact with skin. Flush with plenty of water if contact occurs.

MADE IN U.S.A.  
PLEX CHEMICAL CORPORATION

**DO NOT MIX WITH SOAP OR OTHER DETERGENTS**

01 05 67  
A1-16

## DIRECTIONS

USE FOR: TABLEWARE, SILVERWARE, DISHES, COOKING UTENSILS, ETC.  
Clean with a suitable detergent, rinse thoroughly, then dip in sanitizing solution made of one ounce Nobco San-A-10 in four gallons of water, and air dry.  
**AFTER SANITIZING, RINSE IN POTABLE WATER OR AS DIRECTED BY LOCAL HEALTH DEPARTMENT**

**SANITIZATION OF EQUIPMENT IN FOOD PROCESSING PLANTS, INCLUDING MEAT PLANTS**  
Clean and rinse equipment thoroughly. Then scrub with a solution of one ounce of Nobco San-A-10 per four gallons of water. Flush equipment with a clear water rinse before re-use. On surfaces difficult to clean completely (such as meat cutting boards) increase strength of sanitizing solution to one ounce to one gallon of water.

**RINSE THOROUGHLY IN POTABLE WATER AFTER TREATING**

### Proportions to use.

200 Ppm — Use 1 oz. to 4 gal.      400 Ppm — Use 1 oz. to 2 gal.  
1000 Ppm — Use 5 oz. to 4 gal.

**THIS COMPOUND IS EFFECTIVE IN WATER CONTAINING 400 Ppm OF HARDNESS**

**CAUTION.** Avoid contamination of foodstuff. The undiluted solution is a strong disinfectant and will cause irritation. Harmful if swallowed. Avoid contact with skin and eyes. In case of contact, flush with plenty of water. If irritation persists, get medical attention.

**DON'T MIX WITH SOAP OR NON-COMPATIBLE WETTING AGENTS**

Manufactured by  
**PLEX CHEMICAL CORPORATION**