



Nobel

USDA Reg #6550-28

Net Weight - 4 Lbs.

DIRECTIONS FOR SANITIZING GLASSES - DISHES - KITCHEN AFTER CLEANING

Use 1/2 oz. of POWDERED CLORBAC to each 5 gallons of water (100 parts per million) and immersion time of utensils should be a minimum of 2 minutes.

Utensils should be sanitized in a metal sink or container; do not allow to soak.

Care should be started to change water periodically so that concentration of available chlorine does not fall below 50 PPM or also a starting solution of at least 200 PPM should be employed. Follow recommendations of local health departments.

When concentrations in excess of 100 ppm available chlorine are applied to surfaces in contact with food, rinse in potable water before use.

POWDERED CLORBAC

Disinfectant • Germicide • Deodorant

Active Ingredient:

Sodium Dichloro-s-triazinetrione 26.6%

Inert Ingredients 73.4%

Available Chlorine - 16%

DAIRY PROCESSING AND BEVERAGE AND FOOD EQUIPMENT SANITIZING AFTER CLEANING

Sanitizing should be done immediately before using equipment. Use 1/2 oz. of POWDERED CLORBAC to 5 gallons of water (100 parts per million of available chlorine) for immersion or CIRCULATION SANITIZING. DOUBLE concentration for SPRAY SYSTEM.

Caution: Keep out of reach of children. Avoid contamination of feedstuffs. The undiluted sanitizer is a strong disinfectant and may cause irritation or be harmful if swallowed. Avoid contact with skin and eyes. In case of contact, flush with plenty of water. If irritation persists, get medical attention.

Avoid inhalation of dust.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Nobel Mercantile Co

ACCEPTED

11