NO HOST MOSQUITO TURF TREATMENT

FOR COMMERCIAL AND HOME USE

ACTIVE INGREDIENT:

Carbaryl (1-Naphthyl Methylcarbamate) 20% by wt.

NET CONTENT(S) LB

CAUTION: KEEP OUT OF REACH OF CHILDREN.

HARMFUL IF INHALED OR SWALLOWED.

Avoid breathing of dust. Do not take internally. Avoid contact with skin. Weer regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

NOTE FOR PHYSICIAN — This product is a moderate, reversible cholinsterase inhibitor. Atropine is antidote!.

AVOID CONTAMINATION OF FOOD, FEED, WATER SUPPLIES, STREAMS AND PONDS.

Do not reuse empty container. Destroy it by burying with waste or by burning. Stay away from smoke or fumes.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

E.P.A. REG. NO. 6621-43

EAGLE CHEMICAL COMPANY

2819 WEST LAKE STREET CHICAGO, NLINOIS 60612

TO MINIMIZE THE NUISANCE OF MOSQUITOES

- 1. Treat the areas where mosquitoes breed with "Larvacide".
- 2. Flush foilage and shrubbery with "I.F. Insecticide Fog".
- 3. Apply "No Host" to the turf as directed below.

DIRECTIONS:

TURE AND LAWN — To kill and aid in the control of maguitees and ants Apply one pound of granules per 1000 aquare feet. Apply with spreader for uniform coverage. Work granules in with a coarse water spray after treatment. Repeat two or three weeks later if necessary.

FOR USE OUTDOORS AND AROUND THE FOLLOWING AREAS — CLUB HOUSE BUILDINGS, ROADWAYS and PATH BORDERS — To kill and aid in the control of manquitoes, ants. bluegram bill bug (blue grass bill bug only in New York State) cutwor, ticks. — Apply one pound of granules for each 1000 square feet of area.

Treat at least 15 foot band around structure and extending to the foundation to discourage entry into building of ants and ticks.

Work granules into vegatative cover. Coarse water spray after treatment is desireable. Repeat two or three weeks later if necessary.

ACCEPTED

NOU 3/972

FUNDER THE FEDERAL INSECTICIDE FUNDICIDE AND RODENTICIDE ACT FOR ECONOMIC POLEON, REGISTER-ED UNDER NO. T. SUBJECT TO ATTACHED COMMENTS.

NO HOST MOSQUITO TURF TREATMENT

FOR COMMERCIAL AND HOME USE

CAUTION: KEEP OUT OF REACH OF CHILDREN. HARMFUL IF INHALED OR SWALLOWED.

Avoid breathing of dust. Do not take internally. Avoid contact with skin. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

NOTE FOR PHYSICIAN — This product is a moderate, reversible cholinsterase inhibitor. Atropine is antidotal.

AVOID CONTAMINATION OF FOOD, FEED, WATER SUPPLIES, STREAMS AND PONDS.

Do not reuse empty container. Destroy it by burying with waste or by burning. Stay away from smoke or fumes.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

E.P.A. REG. NO. 6621-43

EAGLE CHEMICAL COMPANY

2819 WEST LAKE STREET CHICAGO, ILLINOIS 60612

TO MINIMIZE THE NUISANCE OF MOSQUITOES

- 1. Treat the areas where mosquitoes breed with "Larvacide".
- 2. Flush foilage and shrubbery with "I.F. Insecticide Fog".
- 3. Apply "No Host" to the turf as directed below.

DIRECTIONS:

TURE AND LAWN — To kill and aid in the control of mosquitoes and ants Apply one pound of granules per 1000 square feet. Apply with spreader for uniform coverage. Work granules in with a coarse water spray after treatment. Repeat two or three weeks later if necessary.

FOR USE OUTDOORS AND AROUND THE FOLLOWING AREAS — CLUB HOUSE BUILDINGS, ROADWAYS and PATH BORDERS — To kill and aid in the control of mosquitoes, ants, bluegrass bill bug (blue grass bill bug only in New York State) cutwor, ticks, — Apply one pound of granules for each 1000 square feet of area.

Treat at least 15 foot band around structure and extending to the foundation to discourage entry into building of ants and ticks.

Work granules into vegatative cover. Coarse water spray after treatment is desireable. Repeat two or three weeks later if necessary.

