

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Recommended for Use by Commercial Applicators.

Spray infested surface until wet.  
**ROACHES, ANTS, SILVERFISH, SPIDERS, CRICKETS:** Spray heavily into all cracks, around baseboards and other places where these insects hide. Also behind and beneath cabinets, refrigerators, sinks, stoves, etc. Spray other localized areas infested with these pests. Repeat treatment as required.

**CARPET BEETLES:** Make localized application to the floor and baseboards. Spray directly into cracks, closets and infested areas of shelving. Repeat as necessary.

**BROWN DOG TICKS:** Thoroughly spray infested areas around baseboards, window and door frames, wall coverings. Applications should be repeated as necessary. Fresh bedding should be placed in animal quarters following treatment. **DO NOT TREAT ANIMALS WITH FORMULATION.**

**FLIES, MOSQUITOES, WASPS AND FLYING MOTHs OUTDOORS:** For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects slight or congregate.

**FLEAS, CHIGGERS, ANTS OUTDOORS:** For treatment of localized infestations of these insects on outdoor areas where there is no vegetation, spray infested areas thoroughly. For ants, thoroughly wet hills and runways. Repeat applications as infestations warrant and as reinfestations occur.

Do not use in food areas of food processing plants, restaurants or other areas here food is commercially prepared or processed. Do not use in serving areas while food is exposed. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food should be covered or removed.

Remove pets, birds, and cover fish bowls and remove, before spraying. Use as a surface spray only. Do not spray into air.

Do not allow children in treated areas until surfaces are dry.

Not for Use in USDA Meat and Poultry Plants.

EPA Reg. No. 6626-29  
 EPA EST 6626-NY-1



**BEST AVAILABLE COPY**

**ARLCO INSADANE LIQUID SPRAY**  
**CONTAINS PYRENONE® - DIAZINON**

A quick acting surface spray for indoor and outdoor use in homes and nonfood areas of institutions, restaurants, and food processing plants.

Kills cockroaches, ants, house flies, mosquitoes, fleas (outdoors), waterbugs, wasps, brown dog ticks, silverfish, spiders, crickets, chiggers, small flying moths and carpet beetles.

**ACTIVE INGREDIENTS:**

**Diazinon [1,0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate]	0.500%
Pyrethrins	0.052%
*Piperonyl Butoxide, Technical	0.261%

<b>INERT INGREDIENTS:*</b>	99.187%
<b>*Contains petroleum distillate.</b>	100.000%

\*Equivalent to min. 0.209% (butylcarbityl) (6-propyl-piperonyl) ether and 0.052% related compounds.

PYRENONE - Registered Trademark of Fairfield American Corporation

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**  
 See side panel for additional precautions.

**ATLANTIC RESEARCH LABORATORIES CORP.**  
 29-05 40 Road, Long Island City, N.Y. 11101

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.  
**PESTICIDE STORAGE AND SPILL PROCEDURES:** Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, Fuller's earth, etc. Dispose of with chemical waste.

**PESTICIDE DISPOSAL:** Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

**CONTAINERS ONE GALLON AND SMALLER:** Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

Containers one gallon or less:

**STORAGE:** Store in original container in a cool dry place inaccessible to children and pets. Protect from freezing.

**DISPOSAL:** Wrap container in several layers of newspaper and discard in trash.

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Harmful if inhaled or absorbed through the skin. Do not breathe vapors or spray mist. Avoid contact with eyes, skin or clothing. Avoid contamination of feed and foodstuffs and domestic water supplies. Do not smoke while using. Remove pets and cover fish aquaria before spraying. Do not allow children or pets to contact treated surface until spray has dried. Do no use as a space spray.

**STATEMENT OF PRACTICAL TREATMENT**

If Swallowed - Call a physician or Poison Control Center immediately. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.

If Inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.

If on Skin - Remove contaminated clothing and wash affected areas with soap and water.

If In Eyes - Flush eyes with plenty of water. Call a physician immediately.

Note to Physicians: Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine. Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use or store near heat or open flame.

Always assume all risks of use, storage or handling of this product not in strict accordance with directions given here.

BATCH \_\_\_\_\_

NET CONTENTS \_\_\_\_\_