

2.5-10 METHYL PARATHION-SEVIN

AGRICULTURAL INSECTICIDE

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-methylcarbamate)	10.0%
*O, O-dimethyl O-p-nitrophenyl thiophosphate	2.5%
INERT INGREDIENTS	87.5%
*Trade-Mark of UCC for 1-naphthyl N-methylcarbamate.	
*Methyl Parathion	100.0%

DIRECTIONS FOR USE

Application should be made only by experienced personnel using approved safety equipment. Apply when air is calm, using ground equipment or aircraft. Make thorough coverage of plants with a uniform deposit of dust. Treat at the first sign of infestation and repeat at regular intervals when needed to maintain control, but observe use limits given for specific crops.

OBSERVE THE FOLLOWING USE PRECAUTIONS

- This product is toxic to wildlife. Birds feeding on treated areas may be killed. Apply this product only as specified on this label.
- This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your cooperative Agricultural Extension Service.
- Consult State Agricultural Extension authorities for additional information, as the timing, number, and rate of applications needed will vary with local conditions.

RECOMMENDATIONS

COTTON

For control of early season Aphids, Thrips, Cotton Fleahopper and Red Spider Mites.

Apply 8 to 15 lbs. of 2.5-10 Methyl Parathion-Sevin Dust per acre when insects first appear.

For control of Mid and Late Season Aphids, Boll Weevil, Bollworm, Cotton Leafworm, Lygus Bugs, Cotton Leaf Perforators and Red Spider Mites.

Apply 15 to 25 lbs. of 2.5-10 Methyl Parathion-Sevin Dust per acre at 5-7 day intervals when insects first appear.

For control of Pink Bollworms:

Apply 22-25 lbs. 2.5-10 Methyl Parathion-Sevin Dust per acre at 5-7 day intervals.

Do not apply within 5 days of harvest. Workers entering fields within 24 hours after application should wear protective clothing.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

U. S. D. A. Registration No. 6735-110



DANGER-POISON



● Keep Out of Reach of Children and Animals.

- **POISONING SYMPTOMS** Headache, blurred vision, weakness, nausea, cramps, diarrhea and discomfort in chest.
- **ANTIDOTE** Atropine is the specific antidote. Obtain emergency supply of atropine 1/100 grain tablets from your physician. Keep on hand.
- **CALL A PHYSICIAN IMMEDIATELY** if persons handling or working with Parathion develop poisoning symptoms.

FIRST AID TREATMENT

IF SWALLOWED—Give tablespoon of salt in a glass of warm water. Repeat until vomit fluid is clear. Have victim lie down and keep quiet.

INHALATION—Remove patient from contaminated atmosphere.

SKIN—In case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water.

EYES—In case of contact, flush immediately with water for at least 15 minutes.

- **INFORMATION FOR PHYSICIAN (Treatment)**—Give atropine preferably by injection, grains 1/30 to 1/15 (2 to 4 mg.), at once and every hour or oftener as needed to achieve and maintain full atropinization. 2-PAM is also antidotal and may be administered in conjunction with atropine. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for 48 hours.

DANGER

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN! DO NOT GET IN EYES OR ON SKIN OR ON CLOTHING.

Wear natural rubber gloves, protective clothing and goggles.

Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Methyl Parathion protection.

Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated.

Do not contaminate feed and foodstuffs.

Wash hands, arms, and face thoroughly with soap and water before eating or smoking.

Wash all contaminated clothing with soap and hot water before re-use.

Do not store near food or feed products.

READ LABEL BEFORE USING DESTROY EMPTY CONTAINER BURY OR BURN STAY OUT OF SMOKE OR FUMES

A PRODUCT OF
DE PRODUCTS INC

