

DESCRIPTION

2,4-D NON-VOLATILE AMINE is a specialized weed killer formulation for fast and excellent use around highways, fire lanes, pasture lands, industrial fence rows and similar areas.

DIRECTIONS

For application in spring and summer any time after weeds reach full leaf stage until start of dormant season, mix one gallon of this weed killer thoroughly in 80 gallons of clean water. Apply as a spray to the foliage, using sufficient pressure (80 pounds or more) and sufficient solution to assure adequate penetration and coverage of all parts of the plant. Plants which are inadequately sprayed or are tolerant should be retreated.

PARTIAL LIST OF WEEDS CONTROLLED BY 2,4-D NON-VOLATILE AMINE

- | | |
|------------------|--------------------|
| Beggar Ticks | Pennywort |
| Bindweed (field) | Pigweed |
| Bull Thistle | Plantain |
| Burdock | Purslane |
| Canada Thistle | Radish, Wild |
| Carpet Weed | Ragweed |
| Chickweed | Russian Thistle |
| Cocklebur | Shepherds-Purse |
| Curly Dock | Sow Thistle |
| Dandelion | Stickweed |
| Fanweed | Sunflower |
| Lamb's Quarters | Water Hyacinth |
| Leafy Spurge | Water Plantain |
| Marsh Elder | Wild Carrot |
| Mustards | Wild Morning Glory |

CAUTION: Harmful if swallowed. May cause skin irritation. Avoid contact with eyes, skin and clothing.

Do not apply to Bent Grass and St. Augustine grass. Avoid possible injury to clover.

Do not graze treated areas by dairy animals within 7 days after treatment.

Do not apply to newly seeded pastures.

2,4-D AMINE

NON-VOLATILE AMINE WEED KILLER

FAST ACTING

NON-CLOGGING

DILUTED WITH WATER OR OIL

CONTAINS 2 LBS. 2,4-D ACID EQUIVALENT PER GALLON

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid 24.7%

INERT INGREDIENTS:


Equivalent to 20.5% of 2,4-Dichlorophenoxyacetic Acid 75.3%

CAUTION: KEEP OUT OF REACH OF CHILDREN

See side panel for other cautions.

BEFORE USE READ DIRECTIONS, CAUTION AND NOTICE STATEMENTS CAREFULLY

AN EXCLUSIVE PRODUCT OF:



STERN CHEMICAL CORPORATION
 HOME OFFICE AND LABORATORY: 318 / 325-4333
 2725 DeSIARD STREET, MONROE, LOUISIANA 71201
 NEW ORLEANS • BATON ROUGE • SHREVEPORT

CAUTION

Keep out of lakes, streams and ponds.
NOTE: 2,4-D NON-VOLATILE AMINE exposed to freezing temperatures would be warmed to above 40°F and mixed thoroughly before using.

CAUTION

Tolerant crops may require repeat applications for control.
Do not apply to or allow contact with susceptible plants such as tomatoes, beans, peas, flowers, grapes, fruit trees, ornamentals, alfalfa, clover, soybeans, tobacco or other desirable plants which are sensitive to 2,4-D. Do not allow spray or fumes to drift onto them. Since minute quantities may cause injury.

Vapors from this product may injure susceptible plants in the vicinity of application. Application should be carried out only when there is no hazard from drift, coarse sprays are less likely to drift. Do not contaminate irrigation water or water used for domestic purposes. Excessive amounts of this weed killer in the soil may temporarily inhibit seed germination or plant growth.

Because of the difficulty of thoroughly cleaning spraying equipment used with this product, such equipment should not be used for handling and applying other agricultural chemicals. Shipping containers should be destroyed and not reused.

Do not store or spill this preparation on or near food, fertilizers, seeds, insecticides or fungicides.

Do not reuse empty drum or container. Return to drum conditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

NET CONTENTS: _____

EPA Reg. No. 6762-31

6762-31
ACCEPTED
UNDER THE FEDERAL
FUNGICIDE AND
RODENTICIDE ACT
FOR ECONOMIC
CONTROL
1. UNDER NO.

WILL-SELECT WEED KILLER

It is now possible to weed turf without harm to grass and desired plants. WILL-SELECT contains the new 2,4-D Dandelion, Lawn Pennywort, Annual Morning Glory, Daisy, Chickweed, Ragweed, Burdock, Wild Garlic, Ground Ivy, Poison Hemlock, Wild Lettuce and other broad leaf weeds—all are destroyed at the roots without injury to the turf or desired grass. Apply when turf is well established and weeds are in full growth.

DILUTION: 1 part weed killer to 40 parts of water. One (1) gallon diluted will effectively treat up to 1000 square feet, sprayed or sprinkled. Retreatment may be necessary for perennial weeds.

0.8 Pounds 2,4-D Acid Equivalent Per Gallon

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid 10.0%

INERT INGREDIENTS: 90.0%

TOTAL INGREDIENTS: 100.0%

*Equivalent to 6.2% 2,4-Dichlorophenoxyacetic Acid


Do not use on bentgrass, Dichonda, carpetgrass, St. Augustine grass or clover lawns. Avoid spray drift to susceptible plants (coarse sprays are less likely to drift) as this product may injure cotton, beans and peas. Avoid contamination of water intended for irrigation or domestic use. Do not store near seeds, insecticides, feeds, fertilizer, or fungicides. Thoroughly clean spray equipment with suitable chemical cleaner before using for other purposes (or do not use same sprayer for other purposes). Do not forage or graze treated areas.

CAUTION - KEEP OUT OF REACH OF CHILDREN. Avoid contact with eyes, nose, mouth, and clothing. Do not breathe dust. Wash thoroughly after use. Do not get in eyes. If in eyes, flush with water. If on skin, wash with soap and water. If swallowed, do not induce vomiting. Get medical attention immediately.

NET CONTENTS _____

USDA REG. NO. 6837-21

Manufactured Exclusively By  **ILMAR** Charlotte, N. C. 28203
HEALTH THROUGH SANITATION



DESCRIPTION
 2,4-D NON-VOLATILE AMINE is a specialized weed killer formulation for fast and excellent use around highways, fire lanes, pasture lands, industrial fence rows and similar areas.

DIRECTIONS
 For application in spring and summer any time after weeds reach full leaf stage until start of dormant season, mix one gallon of this weed killer thoroughly in 80 gallons of clean water. Apply as a spray to the foliage, using sufficient pressure (80 pounds or more) and sufficient solution to assure adequate penetration and coverage of all parts of the plant. Plants which are inadequately sprayed or are tolerant should be retreated.

PARTIAL LIST OF WEEDS CONTROLLED BY 2,4-D NON-VOLATILE AMINE

Beggar Ticks	Pennywort
Sindweed (field)	Pigweed
Bull Thistle	Plantain
Burdock	Purslane
Canada Thistle	Radish, Wild
Carpet Weed	Ragweed
Chickweed	Russian Thistle
Cocklebur	Shepherd's Purse
Curly Dock	Sow Thistle
Dandelion	Stickweed
Fanweed	Sunflower
Lamb's Quarters	Water Hyacinth
Leafy Spurge	Water Plantain
Marsh Elder	Wild Carrot
Mustards	Wild Morning Glory

CAUTION Harmful if swallowed. May cause skin irritation. Avoid contact with eyes, skin and clothing.

Do not apply to Bent Grass and St. Augustine grass. Avoid possible injury to clover. Do not graze treated areas by dairy animals within 7 days after treatment. Do not apply to newly seeded pastures.

2,4-D AMINE

NON-VOLATILE AMINE WEED KILLER

FAST ACTING

NON-CLOGGING

DILUTED WITH WATER OR OIL

CONTAINS 2 LBS. 2,4-D ACID EQUIVALENT PER GALLON

ACTIVE INGREDIENTS:
 Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid 24.7%

INERT INGREDIENTS 75.3%

Equivalent to 20.5% of 2,4-Dichlorophenoxyacetic Acid

CAUTION: KEEP OUT OF REACH OF CHILDREN
 See side panel for other cautions.

BEFORE USE READ DIRECTIONS, CAUTION AND NOTICE STATEMENTS CAREFULLY



AN EXCLUSIVE PRODUCT OF
STERN CHEMICAL CORPORATION
 HOME OFFICE AND LABORATORY: 318 / 325-4333
 2725 DESIARD STREET, MONROE, LOUISIANA 71201
 NEW ORLEANS • BATON ROUGE • SHREVEPORT

CAUTION
 Avoid contact with lakes, streams and ponds.
 DO NOT APPLY TO 2,4-D NON-VOLATILE AMINE exposed to freezing temperatures would be warmed to above 40°F and mixed thoroughly before using.

CAUTION
 Tolerant crops may require repeat applications.
 Do not apply to or allow contact with susceptible plants or tomatoes, beans, peas, flowers, grass, fruit trees, ornamentals, alfalfa, clover, legumes, tobacco or other desirable plants which are sensitive to 2,4-D. Do not allow spray or fumes to drift onto them. Since minute quantities may cause injury.

Vapors from this product may injure susceptible plants in the vicinity of application. Application should be carried out only when there is no hazard from drift, coarse sprays are less likely to drift. Do not contaminate irrigation water or water used for domestic purposes. Excessive amounts of this weed killer in the soil may temporarily inhibit seed germination or plant growth.

Because of the difficulty of thoroughly cleaning spraying equipment used with this product, such equipment should not be used for handling and applying other agricultural chemicals. Shipping containers should be destroyed and not reused.

Do not store or spill this preparation on or near food, fertilizers, seeds, insecticides or fungicides.

Do not reuse empty drum or container. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

NET CONTENTS _____

EPA Reg No. 6762-31