

OCTAGON PROCESS INC.
596 RIVER ROAD
EDGEWATER, NEW JERSEY 07020

Octagon Food Plant and Industrial Spray

A Highly Concentrated, Non-Staining, Deodorized Insecticide.

Designed for Use in Food Processing Plants, Apartment Houses, Motels, Restaurants, Theaters, Schools and Warehouses.

Kills on Contact Exposed or Accessible Stages of Cockroaches, Waterbugs, Ants, House Flies, Fruit Flies, Mosquitoes, Gnats, Wasps, Silverfish, Fleas, Indian Meal Moths, Angoumois Grain Moths, Tobacco Moths, Cheese Mites, Rice Weevils, Granary Weevil, Red Flour Beetle, Saw-Toothed Grain Beetle.

ACTIVE INGREDIENTS:	100%
Pyrethrins	0.4%
Piperonyl Butoxide, Technical*	1.6%
Deodorized Kerosene	98.0%

*Equivalent to 1.28% of (butylcarbityl) (6-propylpiperonyl) ether and to 0.32% of related compounds.

CAUTION

KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FEED AND FOODSTUFFS. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OF OPEN FLAME.

DO NOT REMAIN IN TREATED AREAS AND VENTILATE THE AREA AFTER TREATMENT IS COMPLETED.

FOODS SHOULD BE REMOVED OR COVERED DURING TREATMENT. ALL FOOD PROCESSING SURFACES SHOULD BE COVERED DURING TREATMENT OR THOROUGHLY CLEANED BEFORE USING. WHEN USING THE PRODUCT IN THESE AREAS, APPLY ONLY WHEN THE FACILITY IS NOT IN OPERATION.

DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES.

DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY.

DIRECTIONS FOR USE

HOUSE FLIES, MOSQUITOES, GNATS, FRUIT FLIES, INDIAN MEAL MOTHS, ANGOUMOIS GRAIN MOTHS AND TOBACCO MOTHS: Close all doors and windows and shut off ventilation or air circulation systems. Using a good fogger or sprayer adjusted to deliver a fine mist, direct spray into all parts of the enclosure. Fill the room with mist, using 1-2 ounces per 1000 cubic feet. Vacate room and keep closed for 10 minutes. Ventilate before reoccupying.

WASPS: Above treatment for House Flies, Mosquitoes, etc. will kill occasional wasps that may appear indoors. To wipe out nests or infestations, application should be made late in the evening when insects are at rest. Spray liberally into nesting and resting areas contacting as many wasps as possible. Repeat as necessary.

COCKROACHES, WATERBUGS, SILVERFISH, ANTS AND CHEESE MITES. Spray infested areas thoroughly and direct the spray into cracks, crevices, behind base boards, window frames, sinks, shelves, refrigerators, drains and other moist areas. Spray directly on insects when ever possible. Repeat treatment as necessary.

RICE WEEVILS, GRANARY WEEVIL, RED FLOUR BEETLE, SAW-TOOTHED GRAIN BEETLE: Clean up and destroy waste grain, flour, dust and debris. Apply in a good machine adjusted to deliver a coarse droplet spray, using approximately 1 gallon to 750 square feet of surface. Thoroughly treat walls, floors, shelves and other exposed surfaces. Sack surfaces of bagged grain may be sprayed lightly until slightly moist.

EPA REG. NO. 6830-76