



100%

SEVIN Multi-Purpose

CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE OTHER PRECAUTIONS ON BACK PANEL

ACTIVE INGREDIENT:
Carbaryl (1-naphthyl methylcarbamate) ... 10% by wt.

INERT INGREDIENTS: 90% by wt.
TOTAL 100%

FOR USE ON:

- LAWN & TURF
- POULTRY
- TREES & SHRUBS
- ORNAMENTALS

Repackaged by
BES-TEX INSECTICIDES CO., INC.
San Angelo, Texas - EPA Est. No. 06853 EPA Registration No. 6853-13

10% SEVIN* DUST

*Trademark of Union Carbide for the active ingredient 1-naphthyl methylcarbamate.

CAUTION

Harmful if swallowed or inhaled. Avoid breathing of dust. Avoid contact with skin. Wash thoroughly after handling. Wash hands and face before eating or smoking. Take shower or bath after work. Wear regular long-sleeved clothing. Change to clean clothing daily. Do not store near or contaminate food or foodstuffs.

DISPOSAL PRECAUTIONS: The completely empty container should be well wrapped in newspaper and disposed of in the municipal trash.

BEE CAUTION: This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your cooperative Agricultural Extension Service.

KEEP OUT OF LAKES, STREAMS, OR PONDS: This product is toxic to fish. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

INJURY to tender foliage may occur if applications are made when plants are wet or in the presence of high humidity of several days' duration following treatment.

DIRECTIONS FOR USE:

NOT USE EXCEPT AS SPECIFIED ON THIS LABEL. OBSERVE ALL PRECAUTIONARY AND WARNING STATEMENTS.

LAWN AND TURF: To control Ants, Chinch bugs, Crickets, Cutworms, Earwigs, Fall Armyworms, Fleas, Leafhoppers, Millipedes, Mosquitoes, Sod Webworms and Ticks. Use 10 lbs. per 5000 sq. ft. for best results, mow lawn, remove clippings and apply immediately after rain or watering. Water following treatment. Keep children and pets off lawn until material is watered in and grass is dry.

ORNAMENTALS: BES-TEX 10% SEVIN* Dust can be safely used on rose, carnation, gladiolus, chrysanthemum, lilac and azalea. SEVIN* injures Boston Ivy. Apply BES-TEX 10% SEVIN* to the upper and lower leaf surface of all foliage for complete coverage to control Japanese beetle, Tent caterpillars, June beetles, Ticks, Bagworms, Blister beetle, Boxelder bug, Flea Beetles, Gypsy moths, Lacebugs, Leafhoppers, Mealy bugs, Earwigs, Sow bugs and Ants. **USE 2 lbs.** per 1000 sq. ft. on the above insects.

TREES, SHRUBS AND WOODY PLANTS: Use 2 lbs. of BES-TEX 10% SEVIN* per 1000 sq. ft. as a foliage application to control Apple aphid, Bagworms, Birch leaf miners, Boxelder bug, Boxwood leafminer, Elm leaf aphid, Elm leaf beetle, Gypsy moth, Japanese beetle, Lace bugs, Leafhoppers, Leaf rollers, Oak leaf miners, Orange troxix, Periodical cicada, Rose aphid, Rose-slug, Scales, Tent caterpillars and Willow leaf beetle.

POULTRY HOUSES: For Northern Fowl Mite, Chicken mite, Fleas and Lice. Use 12 1/2 lbs. per 1000 sq. ft. Apply to floors, litter, roosts and adjacent areas with a hand duster or power duster. Force dust into cracks and crevices.

DOG HOUSES, KENNELS AND SLEEPING QUARTERS: For Ticks use 2 1/2 lbs. per 1000 sq. ft. Apply liberally by garden-type duster. Force dust into cracks and crevices. Repeat as needed. **Do not** expose kittens less than 4 weeks of age to treated areas. **DO NOT** apply directly to Dogs or Cats.

NOTE


SEVIN* does not control spider mites. Where infestations are encountered, use a recommended miticide.

WARRANTY

Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

NET WT. 10 POUNDS

Repackaged by
BES-TEX INSECTICIDES CO., INC.
San Angelo, Texas - EPA Est. No. 06853
EPA Registration No. 6853-13



10%

SEVIN

CAUTION

Harmful if swallowed or inhaled. Avoid breathing of dust. Avoid contact with skin. Wash thoroughly after handling. Wash hands and face before eating or smoking. Take shower or bath after work. Wear regular long-sleeved clothing. Change to clean clothing daily. Do not store near or contaminate feed or foodstuffs.

DISPOSAL PRECAUTIONS: The completely empty container should be well wrapped in newspaper and disposed of in the municipal trash.

BEE CAUTION: This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your cooperative Agricultural Extension Service.

KEEP OUT OF LAKES, STREAMS, OR PONDS: This product is toxic to fish. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

INJURY to tender foliage may occur if applications are made when plants are wet or in the presence of high humidity of several days' duration following treatment.