PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS & DOMESTIC ANDMALS

CAUTION

Harmital of purliched, unhaled, or absorbed through the skin, or on clothing, in case of contact, with immediately with soap and warm water, wash hands, arms, and face throughly with soap and water after handling and before eating or swoking, Wash all contaminated clothing with hot water before re-use. Do not allow spray to contact foud, feedstuffs, and water supplies. Thoroughly wash dishes and food nanciling utensils with soap and water if they become contaminated by application of this product. In hospitals patients should be removed prior to treatment. Room should ne ventilated for two hours after spraying. No not allow children or pets to contact tracted surfaces until spray has dried. Remove pets and cover fish bouls (tanks) before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife, keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. STORAGE: If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective year. On cleanup of spilled liquids, wear protective equipment as required as to prevent contact with the product or its vapors. Cover the smilled areas with generous amounts of absorbs material, such as clay, diatomaceous earth sand or sawdust. Sweep the contaminated absor int on to a shovel and put the sweepings into salvage drum. Dispose of wastes as below Place any leaking container into a similar drum or glass container. Do not store, use, pour or spill near heat or open flame,

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Naste representative at the nearest EPA Regional Office for guid ance.

CONTAINER DISPOSAL. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. 10/1 #6700-132 PM17

DILL

サンタトの さんべき かずをもつがれば 田田性を上記されるのできませる 田田

An Oil Sand Concension Contouring 2 St. 587-1362 By Weight

1382-2.5 FLY SPRAY CONCENTRATE

FOR INDOOR USE DIELY

Bake-im. Food Plants: Ambau-unit. School: Hotels: Morels.

Diffee Buildings: Hospitals and Food Handling Plants:

EAN TON TON

ACTIVE INGREDIENTS: ****RESTETREIN [5-(promyleethyl)=3-furanyl)methyl 2,2-dimethy	tey Wr.
3-(2-methy)-1-propeny1) cyclopropanecarboxylate	2. 5001
Related COmpounds	0.3414
Aronatic petro leum hydroxarbons.	3.30vt
Alipratic peticleum distillate	93. 7504
19530 INCREDITIVE	
i, TUTAL	

1 *Cis/trans isomers ratio Max. 30%(*)cis and min. 70%(±)trans.
+U.S Patent Nos. 3,46%,00% and 3,542,92%.
+Penick's SBP-1382 brand of resmethern insecticide.
Penick Corp., 1050 Wall %. West, Limiburst, N.J. 07071

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SVALLOWED: Call a physician or poison untrol center immediately. Do not induce voniting unless directed by a physician. This product contains a high amount of petroleum distillate. Vomiting may cause aspiration pneumonia.


IF INHALED Remove affected person to fresh air. Apply artificial respiration if indicated.

IF IN IVES OR ON SKIN: Flush eyes with plenty of water. Call a physician if irritation persists.

SEE SEDE PAMEE FOR ADDITIONAL PRECAUTIONS

BATCH NET CONTENTS EPA NO 6900-MT 1 EPA REG NO.EC (43)

MANUFACTURED BY THE 3 J DILL COMPANY 140T BASINE BOILD BELLATOR PICE-SAME FOR BCX 175



A CONCENTRATE DILUTE BEFORE USING DILUTING INSTRUCTIONS

Dilute to 0.5% SBP-1382 by adding 1 part by weight of the 2.5% concentrate to 4 parts of petroleum distillate.

DIRECTIONS FOR USE

for most effective results use in a good sprayer adjusted to deliver a fine mist.

HOUSEFLIES, MOSQUITOES, AND GRATS

Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes, Ventilate the room when treatment is completed.

N'ASPS

Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

CRAMING INSECTS

Roaches, earwigs, grain mites, sombugs, spiders and centipedes: spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pines and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible.

<u>w15</u>

Spray trails, nests and points of entry. Spray on <u>entry</u> where possible. Repeat as necessary.

