

CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Avoid inhalation. Do not get in eyes, on skin or clothing. Wash thoroughly with soap and water after use. Change clothing immediately and wash before re-use. Destroy containers completely when empty. Do not re-use. Do not use on food crops. Avoid contamination of feed and foodstuffs. Keep from children and domestic animals and fowl. Animals should be removed from inside buildings before treating with BAIT-TOX. BAIT-TOX DDVP (Vapona) may cause cholinesterase inhibition. If poisoning occurs, get prompt medical aid. Atropine is antidotal.

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Apply this product only as specified on this label.

FIRST AID

EXTERNAL: If spilled on skin or clothing, wash thoroughly with soap and water and change clothes. For eyes, flush with water for 15 minutes and get medical attention promptly.

INTERNAL: If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Repeat until vomit fluid is clear. CALL A PHYSICIAN IMMEDIATELY.

SYMPTOMS of poisoning are pin-point pupils, drooling, labored breathing, vomiting, marked tremors, diarrhea, and convulsions. If these symptoms should occur after handling or using (BAIT-TOX) DDVP, CALL A PHYSICIAN IMMEDIATELY.

NOTE TO PHYSICIAN: If the above symptoms are present, atropine sulfate is the drug of choice.

BAIT-TOX FOR FLIES with DDVP

E.P.A. REG. NO. 6959-17

\$2.75

BAIT - TOX is a bait and is very attractive to flies.

BAIT - TOX is very toxic to flies.

BAIT - TOX when contacted by moisture is dispersed in many directions and in this way contacts maggots and kills them.

BAIT - TOX leaves no unpleasant odor.

BAIT - TOX kills both adult flies and maggots.

BAIT - TOX is easy to apply.

BAIT - TOX gives fast results.

BAIT - TOX is effective against flies and maggots resistant to many other insecticides.



CAUTION: Keep Out of Reach of Children.

Harmful if Swallowed, Inhaled or Absorbed Through the Skin.

(Caution continued on panel at left)

ACTIVE INGREDIENTS

| | |
|--|---------------|
| 2, 2-dichlorovinyl dimethyl phosphate | 0.93% |
| Related Compounds | 0.07% |
| Aromatic Petroleum Derivative Solvents | 1.56% |
| INERT INGREDIENTS | 97.44% |



NET CONTENTS — 2 POUNDS

**KEEP LID CLOSED TIGHT TO
PREVENT ACCUMULATION
OF MOISTURE AND LOSS
OF STRENGTH-TOXICANT**

DIRECTIONS

For flies around dwellings, outbuildings, picnic areas, and animal quarters. To use as a bait, do not dilute the Bait-Tox. Scatter the Bait-Tox uniformly on garbage and waste piles and also on manure and where flies congregate and breed. Scatter around garbage pails. For adult flies as a bait use 2 oz. per 100 sq. ft. For maggots use 1/2 lb. to 3/4 lb. per 100 sq. ft.

In order to reduce fly population, Bait-Tox should be applied as a bait once each week or more often as required. Do not use Bait-Tox in homes or where milk is processed or stored or where poultry or animals may feed on it.

(BAIT-FLIES 772)