PM-21 2001

7001-281.

p:1/2

OCT 31 1986

182307 656

J.R. Simplot Company P.O. Box 198 Lathrop, CA 95330

Gentlemen:

Subject: Turf Fungicide 3G

EPA Registration No. 7001-281

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted.

- Delete "or fatal" from the precautionary statements.
 - Transfer the reentry statement and grazing/feeding restrictions to the use directions section immediately following the misuse / statement.
- Add a general statement indicating when to use the high and low rates of the dosage range for diseases other than snow mold.

Sincerely yours,

Henry M. Jacoby Product Manager (21) Fungicide-Herbicide Branch Registration Division (TS-767C)

BEST AVAILABLE COPY

88777:Cool: J-8: KENCO: 10/1/86: 10/13/86; eq: yo					O				
30000	visi	nit con a	THE STREET	CONCUMBENCES	13 the Sales of Sales	egetine against		ATTOM DE LA	
SYMBOL -						, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	- William 13-0	200 AT 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
SURNAME									
DATE 🏲	**************************************	,							
EPA Form 1	320-1 (4-81)	l		l	·	 	OFFI	CIAL FILE COPY	

ACTIVE INGREDIENT:	BY	WT.
2,4-dichloro-6-(-chloroanilino)-s-triazine		3%
INERT INGREDIENTS:		97%
TOTAL	1	00%

DYRENE® is a registered trademark of Mobay Chemical Corporation.

EPA Reg. No. 7001-281

EPA Est. No. 7001-CA-1

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes irreversible eye damage. Harmful or fatal if swallowed. Avoid contact with skin. Do not get in eyes or on clothing. Wear goggles, face shield or safety glasses. Avoid breathing of dust or spray mist. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before re-use. Do not enter treated area within 24 hours following application of this product. Do not graze treated area. Do not feed clippings to livestock.

Anilazine may cause a temporary allergic skin reaction in a few susceptible persons. This condition should be treated as an allergic dermatitis. There is no evidence of after effects or permanent injury. If sensitivity occurs, protective clothing should be worn during periods of exposure, such as, during application or when contacting treated foliage.

Protective clothing should be worn during periods of exposure, such as during application or when contacting treated foliage. PROTECTIVE CLOTHING includes: long sleeved shirt, long legged pants and rubber gloves.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IF ON SKIN wash with soap and water. If irritation persists contact a physician.

IF IN EYES flush with water for at least 15 minutes. Bathe eyes with sodium bicarbonate solution.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water or wetlands. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate

appear and repeat treatments as needed, usually at intervals of 10 to 14 days, except during extended periods of cool, moist conditions when applications every 7 days may be advisable. Applications should be continued through the spring and : ummer months.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow re-entry into treated areas for 24 hours after application.

- 1. Apply when turf is damp for better particle adherence.
- 2. Do not water or mow for at least 24 hours.
- 3. Adjust spreader settings to apply at proper rate. NOTE: Always calibrate spreaders and theck for accuracy before using. Age and condition of spreaders, speed of pushing, and roughness of terrain may affect application rate. Operator should carefully calculate area and make certain that the correct amount of material is applied.

RECOMMENDED APPLICATIONS

LAWNS & TURF: Brown Patch, Copper Spot, Dollar Spot, Helminthosporium Leaf Spot, Melting-Out, Snow Mold (Typhula) 6 to 9 lbs. Turf Fungicide 3G, Apply specified dosage uniformly per 1,000 square feet (50 x 20 ft.). Repeat at 1 to 2 week intervals throughout the spring and summer months. For control of Typhula Snow Mold, apply at lower specified rate after the first killing frost in the fall. A second application should be made when the lawn is free of snow in mid-winter, and this should be followed by a third application after the final melting of snow in late winter or early spring.

STORAGE AND DISPOSAL

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

STORAGE: Do not store near any material intended for use or consumption by humans or animals. Avoid moisture and temperature extremes.

CONTAINER DISPOSAL: Completely empty bag into agplication equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by blate and local authorities, by burning, stay out of smoke."

NET WEIGHT 35 LBS.

GL 25 (7/85)

water by cleaning of equipment or disposal of wastes.
Cover or incorporate spills.

Turl Fungloide 3G effectively protects grasses from various destructive diseases. Uniform distribution of granular material is necessary for maximum control, For his product to accept a replacement of the product of the pr