	EPA REGISTRATION NO.	DATE OF HOUNTE
US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS	7056-112	JAN Z JEGO
REGISTRATION DIVISION (75-767) _ WASHINGTON, DC 20460	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION	NAME OF PEST, CIDE PRODUCT	•
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	CSA Super Pogger	
AME AND ADDRESS OF REGISTRANT (Include ZIP code)	<u> </u>	
г	Π	
CSA Limited, Inc.		
P.O. Fox 73308		
Houston, TX 77273		
L	١	
NOTE: Changes in labeling formula differing in substance for submitted to and accepted by the Registration Division prior product always refer to the above U.S. EPA registration number of the basis of information furnished by the registrant, the	r to use of the label in commerce. ber,	. In any correspondence on the
the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Re	_	
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his motion icide in accordance with the Act. The acceptance of any na Act is not to be construed as giving the registrant a right to by others.	n, may at any time suspend or ca me in connection with the registr	ncel the registration of a pest ation of a product under this
Unis product is conditionally regresection 3(c)(7)(A) provided that you:	istered in accordance	with FIFRA
Add the phrase, "EPA Registration you release the product for shipment.	No. 7056-112," to you	r label pefore
Submit five (5) copies of your fire release the product for shipment.	nal printed labeling b	efore you
If these conditions are not complisubject to cancellation in accordance for shipment of the product constitutes registration.	with FIFRA section 6(e). Your release
A stamped copy of the label has be	een enclosed for your	records.
Tri 1	mothy A. Gardner	
	oduct Manager (17)	
	secticide-Rodenticide	Branch
	gistration Division (T	s-767)
Enclosure		-
□	1	
ATTACHMENT IS APPLICABLE		
IGNATURE OF APPROVING OFFICIAL	1.	DATE 1-2-86
A Form 8570-6 (Rev. 5-76) PREVIOUS EDITION	MAY BE USED UNTIL SIDDE V IS	EXHAUSTED.

CSA Super Fogger

For Use in Rooms, Apartments, Bomes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins, Warehouses, Schools, Theatres

One Unit Treats Up to 6,000 Cubic Feet

ACTIVE INGREDIENTS:

d-trans Allethrin (allyl homolog of Cinerin I) .300% -Related compounds .0237 -*3-Phenoxybenzyl d-cis and trans**2,2-dimethyl-3-.1917. -

(2-methylpropenyl) cyclopropanecarboxylate

*Other isomers

.009% -

INERT INGREDIENTS:

99.477% 100.000%

*d-(cis, trans) phenothrin

**cis/trans isomer ratio: max. 25% (+ or -) cis min. 75% (+ or -) trans

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Additional Precautionary Statements

Flies, Mosquitos, Cockroaches, Spiders, Centipedes. Fleas, Wasps, Ticks, Black Carpet Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Pill Bugs, Crickets and Silverfish

Net Weight 7.5 Ounces

CSA LIMITED, INC. HOUSTON, TX 77273

EPA Reg. No.7056 = **

EPA Est. No 705

1986

Under the Pederal teset Functoide, and Hodolaidichie Ack as amended, for the pesticide stered under EPA Rest. No.

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

Physical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

Directions for Use

General Classification

IL 1 / violation of Federal law to use this product that anner inconsistent with its labeling.

Storage and Disposal

Storage: Store in a cool, dry area away from heat or open flame.

Disposal: Do not re-use empty container. Wrap container and put in trash collection.

This product will kill Flies, Mosquitos, Black Carpet Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Spiders, Centipedes, Fleas, Ticks, Wasps, Pill Bugs, Crickets and Silverfish.

Aids in control of Cockroaches.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place forger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under forger. Leave building at once and keep building closed for four hours before siring out. Open all doors and vindows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary:

To kill Ticks and Fleas: Destroy old pet bedding and replace. Use product as above. Treat dogs and cats with registered tick control product prior to re-entry. Repeat as necessary to bring infestation under control.