


BUTCHERS



LABEL COPY

BACK PANEL

Butcher's Quest Disinfectant Cleaner

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For hospitals, nursing homes, schools, food processing facilities, washrooms, and other institutions.

DISINFECTION: For general disinfection, mix 2 oz. per gallon of water. For hospital disinfection, mix 3 oz. per gallon. Apply with cloth, sponge, or mop. Allow surface to stay wet for 10 minutes and air dry. For heavily soiled surfaces, a precleaning step is recommended.

At 2 oz. per gallon, Quest Disinfectant Cleaner is an effective disinfectant against:

Enterobacter aerogenes	Brevibacterium ammoniagenes
Escherichia colli	Streptococcus faecalis
Klebsiella pneumoniae	Shigella dysenteriae
Salmonella schuttmuelleri	Staphylococcus auerus
Salmonella choleraesuis	

At 3 oz. per gallon, this product is an effective hospital disinfectant against Pseudomonas aeruginosa.

Quest Disinfectant Cleaner is a bacteriacide, fungicide and virucide in the presence of organic soil (5% blood serum).

VIRUCIDE: Mix 2 oz. per gallon dilution. Effective against Influenza A Asian (common flu), Herpes simplex (fever blisters), Adeno virus type 2 (upper respiratory), Vaccinia virus (pox virus group).

FUNGICIDE: Mix 2 oz. per gallon dilution. Effective against the pathogenic fungi, Trichophyton mentagrophytes.

MILDEWSTAT: Controls mold, mildew and odors on non-porous surfaces at 2 oz. per gallon dilution. Wet surfaces thoroughly; let dry.

QUEST.BP(25)

June 23, 1988

BUTCHERS

CAUTIONARY STATEMENT
1 GALLON SIZE

BUTCHER'S QUEST DISINFECTANT CLEANER

PRECAUTIONARY STATEMENT
Hazard to Human and Domestic Animals
DANGER

Keep out of reach of children. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Wash thoroughly with soap and water after using. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.


NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL: Store in original container away from extreme heat or cold. Collect any spilled material for proper disposal.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.



Q.DC(4)

6/23/88

BUTCHER'S

CAUTIONARY STATEMENT
5 and 55 GALLON SIZES

BUTCHER'S QUEST DISINFECTANT CLEANER

PRECAUTIONARY STATEMENT

Hazard to Human and Domestic Animals

DANGER

Keep out of reach of children. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Wash thoroughly with soap and water after using. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.


NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL: Store in original container away from extreme heat or cold. Collect any spilled material for proper disposal.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.



Q.DC(4)

6/23/88