Butcher's® Sundance-Q Disinfectant *non-alkaline* Cleaner

Active Ingredients:

n-Alkyl (60% C_{14}, 30% C_{16}, 5% C_{12}, 5% C_{18}) dimethyl benzyl ammonium chlorides 2.5%

n-Alkyl (68% C_{12}, 32% C_{14}) dimethyl ethylbenzyl ammonium chlorides 2.5%

Inert Ingredients 95.0%

Total 100.00%

EPA Reg. No. 7176-21 EPA Est. No. 7176-MA-1

NET
1 US GALLON
3.785L

KEEP OUT OF REACH OF CHILDREN

DANGER

See back panel for additional precautionary statements

Butcher's Sundance-Q Disinfectant and Non-Alkaline Cleaner

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DISINFECTION: To clean and disinfect floors and walls, tables, chairs, sinks and tubs, use the product 1 oz. per gallon of water. Wet surface thoroughly with clean mop, sponge, or cloth. Allow to remain wet for 10 minutes, and to air dry. For heavily soiled areas, a precleaning step is required.

O.-tiers, this product won't bleach or dull the shine as it cleans and disinfects at the recommended dilution. Prepare a fresh solution for each use.

Kills HIV-1 (Human Immunodeficiency Virus Type 1) which causes AIDS (Acquired Immunodeficiency Syndrome) on Precleaned Environmental Surfaces and Objects Previously Soiled with Blood or Bodily Fluids.

Special Instructions for Cleaning and Disinfecting Against HIV-1 (AIDS virus) on Surfaces and Objects Soiled with Blood or Bodily Fluids:

Personal Protection: When handling items soiled with blood or bodily fluids, wear disposable latex gloves, gowns, masks, and eye coverings.

Cleaning Procedure: Thoroughly clean blood or bodily fluids from surfaces before applying Sundance-Q.

Contact Time: To kill HIV-1, apply Sundance-Q at 1 oz. per gallon and allow surface to remain wet for 1 minute. To kill other organisms listed on this label, allow surface to remain wet for 10 minutes.

Disposal of Infectious Materials: Blood and other bodily fluids should be disposed of according to state and federal regulations for infectious waste disposal.

THE BUTCHER COMPANY Marlborough, MA 01752

This product is for hospitals, nursing homes, schools, food processing and service facilities, and other institutions. At 1 oz. per gallon of water, Butcher's Sundance-Q Disinfectant Non-Alkaline Cleaner is an effective disinfectant against:

Pseudomonas aeruginosa PRB-10	Brevibacterium ammoniagenes
Escherichia coli	Streptococcus faecalis
Klebsiella pneumoniae	Shigella dysenteriae
Salmonella schottmuelleri	Staphylococcus aureus
Salmonella choleraesuis	Enterobacter aerogenes

At this level, it is also fungicidal up to: pathogenic fungi, Trichophyton mentagrophytes, when used as directed on bathroom, shower room or locker room floors.

Efficacy tests have demonstrated that the product is an effective bactericide, fungicide, and virucide in the presence of organic soil (represented by at least 5% blood serum), and in hard water up to 400 ppm (as $CaCO_3$), and for Pseudomonas aeruginosa up to 250 ppm hard water. Efficacy tests have demonstrated effectiveness against HIV-1 (AIDS virus) in hard water up to 400 ppm (as $CaCO_3$) and in the presence of organic soil (10% blood serum).

FUNGICIDAL ACTIVITY: The product, when used on hard non-porous inanimate surfaces at 1 oz. per gallon of water, exhibits effective virucidal activity against Influenza virus type A2 (Asian) (upper respiratory), Herpes simplex virus type 1 (causative agent of fever blisters), Herpes simplex virus type 2 (genital), Adeno virus type 2 (mucous glands), and Rhino virus type 39 (common cold).

MILDEWSTAT: To control mold and mildew on precleaned hard nonporous surfaces (such as floors, walls, table tops), mix 1 oz. per gallon of water. Apply solution with a cloth, mop or sponge, making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth may occur.

PRECAUTIONARY STATEMENT

Hazard to Human and Domestic Animals

DANGER

Keep out of reach of children. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL: Store in original container away from extreme heat or cold. Collect any spilled material for proper disposal.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency, or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

BEST AVAILABLE COPY

ACCEPTED
JUL 26 1989
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 7176-21