FOR INDUSTRIAL OR INSTITUTIONAL USE ONLY.

CAUTION

KEEP OUT OF THE REACH OF CHILDREN, HARMFUL IF SWALLOWED. DO NOT GET IN EYES. AVOID CONTACT WITH THE SKIN. IN CASE OF CONTACT, FLUSH WITH PLENTY OF WATER FOR AT LEAST **15 MINUTES. IF EYE IRRITATION PERSISTS** GET MEDICAL ATTENTION. AVOID CON-TAMINATION OF FOOD.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

tf swellowed, drink promptly a large quanity of milk, egg whites, gelatin solution; or if these are not available, drink large quanities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

BRENCO #585 ALGAECIDE

FOR THE CONTROL OF ALGAE, BAC-TERIA AND FUNGI IN RECIRCULATING COMMERCIAL AND INDUSTRIAL WATER COOLING TOWERS.

ACTIVE INGREDIENT:

Poly[oxyethylene(dimethyliminio)ethylene (dimethyliminio)ethylenedichloride] 10%

INERT INGREDIENT:

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

The **BRENCO** Corporation

North First Street St Louis Mo. 63102 U.S.A.

CAUTION

KEEP OUT OF REACH OF CHILDREN. SEE LEFT PANEL FOR ADDITIONAL PRECAU-TIONARY STATEMENTS.

100%

APPLICATION:

1) Prior to its use, systems must be cleaned to remove algal growth, microbiological slime and other deposits. Brenco #585 should by applied at a point in the system where it will be uniformily mixed.

2) An initial slug addition of 5.7 to 14.25 fluid ounces of Brenco #585 per 1000 gallons of water will provide a concentration of 48 to 120 ppm of Brenco #585.

3) Repeat until control is achieved.

4) The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem.

5) When system is under microbiological control subsequent dosage should be 6 to 14 fluid ounces of Brenco #585 per 1000 gallons of water applied every 3 days or as needed to maintain control

NOTE: This product weighs 8.49 pounds per gallon (at 20° C)

EPA Est. No. 7299-M0-01 EPA Registration No. 7299-9

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Apply this product only as specified on this label.

Should tower be heavily fouled, a precleaning is required.

Do not reuse empty drum. Return to drug reconditioner or rinse well with soan solution and discard. Do nat Contant and er verte b dispesal of waste.

d

UNDER THE EFFERML INSECTICIDE FUNCTION THE SECONDER ACT HARE TO A TOL ON REGISTER. ED CHELL NO.

OCT 20 1975